

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL
PH: 6.3
%OM: 3.4
PREV.CROP: GLXMA - SOYBEAN
%RESIDUE: 0
PLOT WIDTH: 7.5 X 35 FEET
PLOT AREA: 262.5 FEET

DESIGN: RCB
REPS: 3

| APPL. NUMBER | 01 | 02 | 03 | UNIT |
|--|------------------------|-------------------------------|-------------------------------|------|
| TIMINGS | 09 | 11 | 12 | |
| TYPE | LIQUID MI | LIQUID MI | LIQUID MI | |
| APPLICATION DATE | 04/21/17 | 05/30/17 | 06/05/17 | AME |
| TIME - BEGIN | 08:15 | 10:50 | 10:15 | 24H |
| TIME - END | 08:50 | 11:00 | 10:40 | 24H |
| AIR TEMPERATURE | 52 | 77 | 90 | F |
| % REL.HUMIDITY | 61 | 38 | 41 | |
| WIND DIRECTION | NORTHWEST | WEST | WEST | |
| WIND SPEED | 6.0 | 8.0 | 2.0 | M/H |
| CLOUD COVER | CLEAR-0% | CLEAR-0% | CLEAR-0% | |
| DEW | TO BE SEL | NO | NO | |
| SOIL MOISTURE | DRY/MOIST | DRY/MOIST | DRY/ DRY | |
| SOIL CONDITION | TO BE SEL | TO BE SEL | TO BE SEL | |
| SOIL TEMP/DEPTH | 59/4.00 | 66/4.00 | 84/4.00 | F/IN |
| METHOD | SPRAY | SPRAY | SPRAY | |
| EQUIPMENT | BACKPACK/ | BACKPACK/ | BACKPACK/ | |
| PROPELLANT | COMPRESSE | COMPRESSE | COMPRESSE | |
| PLACEMENT | BROADCAST | BROADCAST | BROADCAST | |
| NOZZLE | FLATFAN | FLATFAN | FLATFAN | |
| NOZZLE DESCRIPTION | | | | |
| NOZZLE VOLUME | 0.00 | 0.00 | 0.00 | GPM |
| NOZZLE NUMBER | 5 | 5 | 5 | |
| NOZZLE SPACING | 18.000 | 18.000 | 18.000 | IN |
| SCREEN SIZE | | | | |
| SCREEN SZ DESC | NA | NA | NA | |
| SWATH WIDTH | 7.5 | 7.5 | 7.5 | FT |
| BOOM HEIGHT | 20.0 | 20.0 | 20.0 | IN |
| SPEED | 3.00 | 3.00 | 3.00 | M/H |
| MIX SIZE | 0.380 | 0.380 | 0.380 | |
| MIX SIZE UNIT | GAL | GAL | GAL | |
| SPRAY VOLUME | 20.00 | 20.00 | 20.00 | |
| SPRAY VOLUME UNIT | GPA | GPA | GPA | |
| PRESSURE | 32.00 | 32.00 | 32.00 | PSI |
| DILUENT | WATER | WATER | WATER | |
| INC. DATE | | | | AME |
| INC. START | | | | 24H |
| INC. END | | | | 24H |
| INC. DEPTH | | | | IN |
| INC. EQUIPMENT | TO BE SEL | TO BE SEL | TO BE SEL | |
| FOLIAGE HEIGHT | | | | FT |
| FOLIAGE WIDTH | | | | FT |
| ROW WIDTH | | | | FT |
| SPRAY VOL LWA/TRV | | | | |
| S VOL LWA/TRV UNIT | | | | |
| LEAF WALL AREA | | | | M2H |
| TREE ROW VOLUME | | | | M3H |
| SPECIE AND STAGE | DEN / STG MIN / MAX | DEN / STG MIN / MAX | DEN / STG MIN / MAX | |
| CROP * | | | | |
| P, CORN, DENT G10T63-3122 E-Z (PLANTED) 04/20/2017 | | ---/15 6.00/6.00 40 DAP | ---/16 9.00/13.0 46 DAP | IN |
| PEST * | | | | |
| P, RAGWEED, COMMON | | ---/16 2.00/4.00 | ---/16 3.00/3.00 | IN |
| P, MORNINGGLORY, TA | | ---/14 2.00/2.00 | ---/13 2.00/2.00 | IN |
| P, FOXTAIL, GIANT | | ---/13 2.00/2.00 | ---/13 2.00/4.00 | IN |

* TIMING CODES

09 = --- / PREEMERGENCE
11 = --- / EPOST
12 = --- / POST

* STAGE CODE

13 = 3 LEAVES UNFOLDED
13 = 3RD TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
15 = 5 LEAVES UNFOLDED
16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
16 = 6 LEAVES UNFOLDED

TRIAL # US 101/17/01 00202 : UCRNSYS* C-500
DATA MEAN

TITLE: Weed Control Systems in RR/LL Corn. C-500
CREATED: 04/17/2017 **REVISED:** 02/20/2018 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 35.00 FT LONG
PLOT AREA: 262.50 SFT

REPS: 03

| TRT NUM | TREATMENT COMPONENT | DOSAGE | | | ZEAMD | SETFA | AMBEL | PHBPU | ZEAMD | SETFA |
|------------|------------------------|--------|------|----|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| | | RATE | UNIT | TM | CON % 05/29/17 | CON % 05/29/17 | CON % 05/29/17 | CON % 05/29/17 | CON % 06/15/17 | CON % 06/15/17 |
| 1A» | SURESTART II 4 | 1.30 | LAA | 9 | 0 | 99 | 99 | 72 | 0 | 99 |
| | B ATRAZINE DF | 1.00 | LAA | 9 | | | | | | |
| | C»DURANGO 4AE | 1.00 | LAA | 12 | | | | | | |
| | D»LIQUID AMS | 2.50 | PMV | 12 | | | | | | |
| 2A» | RESICORE 3.29S | 2.47 | LAA | 9 | 0 | 99 | 99 | 83 | 0 | 99 |
| | B ATRAZINE DF | 1.00 | LAA | 9 | | | | | | |
| | C»DURANGO 4AE | 1.00 | LAA | 12 | | | | | | |
| | D»LIQUID AMS | 2.50 | PMV | 12 | | | | | | |
| 3A» | RESICORE 3.29S | 1.23 | LAA | 9 | 0 | 99 | 99 | 67 | 0 | 99 |
| | B ATRAZINE DF | 1.00 | LAA | 9 | | | | | | |
| | C»RESICORE 3.29S | 1.03 | LAA | 12 | | | | | | |
| | D ATRAZINE DF | 0.50 | LAA | 12 | | | | | | |
| | E»DURANGO 4AE | 1.00 | LAA | 12 | | | | | | |
| | F»LIQUID AMS | 2.50 | PMV | 12 | | | | | | |
| 4A» | VERDICT 5.57L | 0.78 | LAA | 9 | 0 | 99 | 99 | 82 | 0 | 99 |
| | B»RNDUP POWERMAX | 1.00 | LAA | 12 | | | | | | |
| | C»STATUS 56DG | 0.175 | LAA | 12 | | | | | | |
| | D»ACTIVATOR 90 | 0.25 | PMV | 12 | | | | | | |
| | E»LIQUID AMS | 2.50 | PMV | 12 | | | | | | |
| 5A» | CORVUS 2.6SC | 0.081 | LAA | 9 | 0 | 99 | 99 | 85 | 0 | 99 |
| | B ATRAZINE DF | 1.00 | LAA | 9 | | | | | | |
| | C»RNDUP POWERMAX | 1.00 | LAA | 12 | | | | | | |
| | D»DIFLEXX 4L | 0.375 | LAA | 12 | | | | | | |
| | E»ACTIVATOR 90 | 0.25 | PMV | 12 | | | | | | |
| | F»LIQUID AMS | 2.50 | PMV | 12 | | | | | | |
| 6A» | BAL FLEXX 2L | 0.047 | LAA | 9 | 0 | 99 | 99 | 80 | 0 | 99 |
| | B ATRAZINE DF | 1.00 | LAA | 9 | | | | | | |
| | C»LAUDIS 3.5SC | 0.082 | LAA | 12 | | | | | | |
| | D»LIBERTY 2.34L | 0.40 | LAA | 12 | | | | | | |
| | E»LIQUID AMS | 2.50 | PMV | 12 | | | | | | |
| 7A» | BKFREE NXT ATZ | 3.50 | LAA | 9 | 0 | 99 | 99 | 90 | 0 | 99 |
| | B»REALM Q | 4.00 | OMA | 0 | | | | | | |
| | C RESOLVE 25DF | 0.0188 | LAA | 12 | | | | | | |
| | D»MESOTRIONE 50W | 0.078 | LAA | 12 | | | | | | |
| | E»ISOXADIFEN-ETH | 0.0094 | LAA | 12 | | | | | | |
| | F ATRAZINE DF | 0.50 | LAA | 12 | | | | | | |
| | G»ABUNDIT EXTRA | 1.00 | LAA | 12 | | | | | | |
| | H»COC | 1.00 | PMV | 12 | | | | | | |
| | I»LIQUID AMS | 2.50 | PMV | 12 | | | | | | |
| 8A» | ACURON 3.44 ZC | 1.29 | LAA | 9 | 0 | 99 | 99 | 73 | 0 | 99 |
| | B»ACURON 3.44 ZC | 1.29 | LAA | 12 | | | | | | |
| | C»RNDUP POWERMAX | 0.91 | LAA | 12 | | | | | | |
| | D»LIQUID AMS | 2.50 | PMV | 12 | | | | | | |
| 9A» | DIFLEXX DUO 1. | 0.38 | LAA | 11 | C | C | C | C | 0 | 99 |
| | B ATRAZINE DF | 0.50 | LAA | 11 | | | | | | |
| | C»RNDUP POWERMAX | 1.00 | LAA | 11 | | | | | | |
| | D»LIQUID AMS | 2.50 | PMV | 11 | | | | | | |
| 10A» | HALEX GT 4.38L | 1.97 | LAA | 11 | C | C | C | C | 0 | 91 |
| | B ATRAZINE DF | 1.00 | LAA | 11 | | | | | | |
| | C»ACTIVATOR 90 | 0.25 | PMV | 11 | | | | | | |
| | D»LIQUID AMS | 2.50 | PMV | 11 | | | | | | |
| 11A» | SURESTART II 4 | 1.04 | LAA | 11 | C | C | C | C | 0 | 96 |
| | B ATRAZINE DF | 1.00 | LAA | 11 | | | | | | |
| | C»DURANGO 4AE | 1.00 | LAA | 11 | | | | | | |
| | D»LIQUID AMS | 2.50 | PMV | 11 | | | | | | |
| 12A | CHECK | 0.00 | NA | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

TRIAL # US 101/17/01 00202 : UCRNSYS* C-500
DATA MEAN

TITLE: Weed Control Systems in RR/LL Corn. C-500

| TRT NUM | TREATMENT COMPONENT | DOSAGE | | | ZEAMD | SETFA | AMBEL | PHBPU | ZEAMD | SETFA |
|------------|------------------------|--------------------|------|----|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| | | RATE | UNIT | TM | CON % 05/29/17 | CON % 05/29/17 | CON % 05/29/17 | CON % 05/29/17 | CON % 06/15/17 | CON % 06/15/17 |
| 13A» | RESICORE 3.29S | 2.06 | LAA | 9 | 0 | 99 | 99 | 90 | 0 | 99 |
| | B ATRAZINE DF | 1.00 | LAA | 9 | | | | | | |
| 14A» | CORVUS 2.6SC | 0.114 | LAA | 9 | 0 | 99 | 99 | 92 | 0 | 99 |
| | B ATRAZINE DF | 1.00 | LAA | 9 | | | | | | |
| 15A» | ACURON 3.44 ZC | 2.58 | LAA | 9 | 0 | 99 | 99 | 93 | 0 | 98 |
| 16A» | ACURON FLEXI 3 | 1.83 | LAA | 9 | 0 | 99 | 99 | 83 | 0 | 99 |
| | | LSD (0.05) | | | 0.0 | 0.0 | 0.0 | 11.9 | 0.0 | 1.3 |
| | | STANDARD DEVIATION | | | 0.0 | 0.0 | 0.0 | 5.8 | 0.0 | 0.6 |

**TRIAL # US 101/17/01 00202 : UCRNSYS* C-500
DATA MEAN**

TITLE: Weed Control Systems in RR/LL Corn. C-500
CREATED: 04/17/2017 **REVISED:** 02/20/2018 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 35.00 FT LONG
PLOT AREA: 262.50 SFT

REPS: 03

| TRT NUM | TREATMENT COMPONENT | DOSAGE | | | AMBEL | PHBPU | ZEAMD | SETFA | AMBEL | PHBPU |
|------------|------------------------|--------|------|----|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| | | RATE | UNIT | TM | CON % 06/15/17 | CON % 06/15/17 | CON % 07/06/17 | CON % 07/06/17 | CON % 07/06/17 | CON % 07/06/17 |
| 1A» | SURESTART II 4 | 1.30 | LAA | 9 | 99 | 89 | 0 | 99 | 99 | 62 |
| | B ATRAZINE DF | 1.00 | LAA | 9 | | | | | | |
| | C»DURANGO 4AE | 1.00 | LAA | 12 | | | | | | |
| | D»LIQUID AMS | 2.50 | PMV | 12 | | | | | | |
| 2A» | RESICORE 3.29S | 2.47 | LAA | 9 | 99 | 92 | 0 | 99 | 99 | 63 |
| | B ATRAZINE DF | 1.00 | LAA | 9 | | | | | | |
| | C»DURANGO 4AE | 1.00 | LAA | 12 | | | | | | |
| | D»LIQUID AMS | 2.50 | PMV | 12 | | | | | | |
| 3A» | RESICORE 3.29S | 1.23 | LAA | 9 | 99 | 98 | 0 | 99 | 99 | 85 |
| | B ATRAZINE DF | 1.00 | LAA | 9 | | | | | | |
| | C»RESICORE 3.29S | 1.03 | LAA | 12 | | | | | | |
| | D ATRAZINE DF | 0.50 | LAA | 12 | | | | | | |
| | E»DURANGO 4AE | 1.00 | LAA | 12 | | | | | | |
| | F»LIQUID AMS | 2.50 | PMV | 12 | | | | | | |
| 4A» | VERDICT 5.57L | 0.78 | LAA | 9 | 99 | 88 | 0 | 99 | 99 | 84 |
| | B»RNDUP POWERMAX | 1.00 | LAA | 12 | | | | | | |
| | C»STATUS 56DG | 0.175 | LAA | 12 | | | | | | |
| | D»ACTIVATOR 90 | 0.25 | PMV | 12 | | | | | | |
| | E»LIQUID AMS | 2.50 | PMV | 12 | | | | | | |
| 5A» | CORVUS 2.6SC | 0.081 | LAA | 9 | 99 | 98 | 0 | 99 | 99 | 89 |
| | B ATRAZINE DF | 1.00 | LAA | 9 | | | | | | |
| | C»RNDUP POWERMAX | 1.00 | LAA | 12 | | | | | | |
| | D»DIFLEXX 4L | 0.375 | LAA | 12 | | | | | | |
| | E»ACTIVATOR 90 | 0.25 | PMV | 12 | | | | | | |
| | F»LIQUID AMS | 2.50 | PMV | 12 | | | | | | |
| 6A» | BAL FLEXX 2L | 0.047 | LAA | 9 | 99 | 96 | 0 | 96 | 99 | 80 |
| | B ATRAZINE DF | 1.00 | LAA | 9 | | | | | | |
| | C»LAUDIS 3.5SC | 0.082 | LAA | 12 | | | | | | |
| | D»LIBERTY 2.34L | 0.40 | LAA | 12 | | | | | | |
| | E»LIQUID AMS | 2.50 | PMV | 12 | | | | | | |
| 7A» | BKFREE NXT ATZ | 3.50 | LAA | 9 | 99 | 99 | 0 | 99 | 99 | 81 |
| | B»REALM Q | 4.00 | OMA | 0 | | | | | | |
| | C RESOLVE 25DF | 0.0188 | LAA | 12 | | | | | | |
| | D»MESOTRIONE 50W | 0.078 | LAA | 12 | | | | | | |
| | E»ISOXADIFEN-ETH | 0.0094 | LAA | 12 | | | | | | |
| | F ATRAZINE DF | 0.50 | LAA | 12 | | | | | | |
| | G»ABUNDIT EXTRA | 1.00 | LAA | 12 | | | | | | |
| | H»COC | 1.00 | PMV | 12 | | | | | | |
| | I»LIQUID AMS | 2.50 | PMV | 12 | | | | | | |
| 8A» | ACURON 3.44 ZC | 1.29 | LAA | 9 | 99 | 99 | 0 | 99 | 99 | 87 |
| | B»ACURON 3.44 ZC | 1.29 | LAA | 12 | | | | | | |
| | C»RNDUP POWERMAX | 0.91 | LAA | 12 | | | | | | |
| | D»LIQUID AMS | 2.50 | PMV | 12 | | | | | | |
| 9A» | DIFLEXX DUO 1. | 0.38 | LAA | 11 | 99 | 98 | 0 | 97 | 99 | 86 |
| | B ATRAZINE DF | 0.50 | LAA | 11 | | | | | | |
| | C»RNDUP POWERMAX | 1.00 | LAA | 11 | | | | | | |
| | D»LIQUID AMS | 2.50 | PMV | 11 | | | | | | |
| 10A» | HALEX GT 4.38L | 1.97 | LAA | 11 | 99 | 72 | 0 | 99 | 99 | 73 |
| | B ATRAZINE DF | 1.00 | LAA | 11 | | | | | | |
| | C»ACTIVATOR 90 | 0.25 | PMV | 11 | | | | | | |
| | D»LIQUID AMS | 2.50 | PMV | 11 | | | | | | |
| 11A» | SURESTART II 4 | 1.04 | LAA | 11 | 96 | 72 | 0 | 99 | 99 | 78 |
| | B ATRAZINE DF | 1.00 | LAA | 11 | | | | | | |
| | C»DURANGO 4AE | 1.00 | LAA | 11 | | | | | | |
| | D»LIQUID AMS | 2.50 | PMV | 11 | | | | | | |
| 12A | CHECK | 0.00 | NA | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

TRIAL # US 101/17/01 00202 : UCRNSYS* C-500
DATA MEAN

TITLE: Weed Control Systems in RR/LL Corn. C-500

| TRT NUM | TREATMENT COMPONENT | DOSAGE | | | AMBEL | PHBPU | ZEAMD | SETFA | AMBEL | PHBPU | |
|------------|------------------------|--------|------|----|--------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-----|
| | | RATE | UNIT | TM | CON % 06/15/17 | CON % 06/15/17 | CON % 07/06/17 | CON % 07/06/17 | CON % 07/06/17 | CON % 07/06/17 | |
| 13A» | RESICORE 3.29S | 2.06 | LAA | 9 | 99 | 95 | 0 | 98 | 99 | 77 | |
| | B ATRAZINE DF | 1.00 | LAA | 9 | | | | | | | |
| 14A» | CORVUS 2.6SC | 0.114 | LAA | 9 | 99 | 88 | 0 | 98 | 99 | 83 | |
| | B ATRAZINE DF | 1.00 | LAA | 9 | | | | | | | |
| 15A» | ACURON 3.44 ZC | 2.58 | LAA | 9 | 99 | 78 | 0 | 99 | 99 | 77 | |
| 16A» | ACURON FLEXI 3 | 1.83 | LAA | 9 | 99 | 67 | 0 | 99 | 99 | 78 | |
| | | | | | LSD (0.05) | 1.3 | 9.5 | 0.0 | 1.7 | 0.0 | 9.6 |
| | | | | | STANDARD DEVIATION | 0.6 | 4.7 | 0.0 | 0.8 | 0.0 | 4.7 |

TRIAL # US 101/17/01 00202 : UCRNSYS* C-500
DATA MEAN

TITLE: Weed Control Systems in RR/LL Corn. C-500
CREATED: 04/17/2017 **REVISED:** 02/20/2018 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 35.00 FT LONG
PLOT AREA: 262.50 SFT

REPS: 03

| TRT NUM | TREATMENT COMPONENT | DOSAGE | | | YIELD BU/A 10/31/17 |
|------------|------------------------|--------|------|----|---------------------------|
| | | RATE | UNIT | TM | |
| 1A | SURESTART II 4 | 1.30 | LAA | 9 | 192 |
| | B ATRAZINE DF | 1.00 | LAA | 9 | |
| | C»DURANGO 4AE | 1.00 | LAA | 12 | |
| | D»LIQUID AMS | 2.50 | PMV | 12 | |
| 2A | RESICORE 3.29S | 2.47 | LAA | 9 | 191 |
| | B ATRAZINE DF | 1.00 | LAA | 9 | |
| | C»DURANGO 4AE | 1.00 | LAA | 12 | |
| | D»LIQUID AMS | 2.50 | PMV | 12 | |
| 3A | RESICORE 3.29S | 1.23 | LAA | 9 | 179 |
| | B ATRAZINE DF | 1.00 | LAA | 9 | |
| | C»RESICORE 3.29S | 1.03 | LAA | 12 | |
| | D ATRAZINE DF | 0.50 | LAA | 12 | |
| | E»DURANGO 4AE | 1.00 | LAA | 12 | |
| | F»LIQUID AMS | 2.50 | PMV | 12 | |
| 4A | VERDICT 5.57L | 0.78 | LAA | 9 | 177 |
| | B»RNDUP POWERMAX | 1.00 | LAA | 12 | |
| | C»STATUS 56DG | 0.175 | LAA | 12 | |
| | D»ACTIVATOR 90 | 0.25 | PMV | 12 | |
| | E»LIQUID AMS | 2.50 | PMV | 12 | |
| 5A | CORVUS 2.6SC | 0.081 | LAA | 9 | 184 |
| | B ATRAZINE DF | 1.00 | LAA | 9 | |
| | C»RNDUP POWERMAX | 1.00 | LAA | 12 | |
| | D»DIFLEXX 4L | 0.375 | LAA | 12 | |
| | E»ACTIVATOR 90 | 0.25 | PMV | 12 | |
| | F»LIQUID AMS | 2.50 | PMV | 12 | |
| 6A | BAL FLEXX 2L | 0.047 | LAA | 9 | 190 |
| | B ATRAZINE DF | 1.00 | LAA | 9 | |
| | C»LAUDIS 3.5SC | 0.082 | LAA | 12 | |
| | D»LIBERTY 2.34L | 0.40 | LAA | 12 | |
| | E»LIQUID AMS | 2.50 | PMV | 12 | |
| 7A | BKFREE NXT ATZ | 3.50 | LAA | 9 | 169 |
| | B»REALM Q | 4.00 | OMA | 0 | |
| | C RESOLVE 25DF | 0.0188 | LAA | 12 | |
| | D»MESOTRIONE 50W | 0.078 | LAA | 12 | |
| | E»ISOXADIFEN-ETH | 0.0094 | LAA | 12 | |
| | F ATRAZINE DF | 0.50 | LAA | 12 | |
| | G»ABUNDIT EXTRA | 1.00 | LAA | 12 | |
| | H»COC | 1.00 | PMV | 12 | |
| | I»LIQUID AMS | 2.50 | PMV | 12 | |
| 8A | ACURON 3.44 ZC | 1.29 | LAA | 9 | 205 |
| | B»ACURON 3.44 ZC | 1.29 | LAA | 12 | |
| | C»RNDUP POWERMAX | 0.91 | LAA | 12 | |
| | D»LIQUID AMS | 2.50 | PMV | 12 | |
| 9A | DIFLEXX DUO 1. | 0.38 | LAA | 11 | 184 |
| | B ATRAZINE DF | 0.50 | LAA | 11 | |
| | C»RNDUP POWERMAX | 1.00 | LAA | 11 | |
| | D»LIQUID AMS | 2.50 | PMV | 11 | |
| 10A | HALEX GT 4.38L | 1.97 | LAA | 11 | 193 |
| | B ATRAZINE DF | 1.00 | LAA | 11 | |
| | C»ACTIVATOR 90 | 0.25 | PMV | 11 | |
| | D»LIQUID AMS | 2.50 | PMV | 11 | |
| 11A | SURESTART II 4 | 1.04 | LAA | 11 | 189 |
| | B ATRAZINE DF | 1.00 | LAA | 11 | |
| | C»DURANGO 4AE | 1.00 | LAA | 11 | |
| | D»LIQUID AMS | 2.50 | PMV | 11 | |
| 12A | CHECK | 0.00 | NA | 0 | 165 |

