

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL  
PH: 6.3  
%OM: 3.4  
PREV.CROP: GLXMA - SOYBEAN  
%RESIDUE: 0  
PLOT WIDTH: 7.5 X 35 FEET  
PLOT AREA: 262.5 FEET

DESIGN: RCB  
REPS: 3

APPL. NUMBER	01	02	UNIT
TIMINGS	11	12	
TYPE	LIQUID MI	LIQUID MI	
APPLICATION DATE	06/08/17	06/16/17	AME
TIME - BEGIN	10:50	08:00	24H
TIME - END	11:10	08:30	24H
AIR TEMPERATURE	75	75	F
% REL.HUMIDITY	31	66	
WIND DIRECTION	NORTH	NOT APPLI	
WIND SPEED	5.0	0.0	M/H
CLOUD COVER	CLEAR-0%	CLEAR-0%	
DEW	NO	NO	
SOIL MOISTURE	DRY/ DRY	MOIST/MOI	
SOIL CONDITION	TO BE SEL	TO BE SEL	
SOIL TEMP/DEPTH	77/4.00	74/4.00	F/IN
METHOD	SPRAY	SPRAY	
EQUIPMENT	BACKPACK/	BACKPACK/	
PROPELLANT	COMPRESSE	COMPRESSE	
PLACEMENT	BROADCAST	BROADCAST	
NOZZLE	FLATFAN	FLATFAN	
NOZZLE DESCRIPTION			
NOZZLE VOLUME	0.00	0.00	GPM
NOZZLE NUMBER	5	5	
NOZZLE SPACING	18.000	18.000	IN
SCREEN SIZE			
SCREEN SZ DESC	NA	NA	
SWATH WIDTH	7.5	7.5	FT
BOOM HEIGHT	20.0	20.0	IN
SPEED	3.00	3.00	M/H
MIX SIZE	0.380	0.380	
MIX SIZE UNIT	GAL	GAL	
SPRAY VOLUME	20.00	20.00	
SPRAY VOLUME UNIT	GPA	GPA	
PRESSURE	32.00	32.00	PSI
DILUENT	WATER	WATER	
INC. DATE			AME
INC. START			24H
INC. END			24H
INC. DEPTH			IN
INC. EQUIPMENT	TO BE SEL	TO BE SEL	
FOLIAGE HEIGHT			FT
FOLIAGE WIDTH			FT
ROW WIDTH			FT
SPRAY VOL LWA/TRV			
S VOL LWA/TRV UNIT			
LEAF WALL AREA			M2H
TREE ROW VOLUME			M3H
SPECIE AND STAGE	DEN / STG MIN / MAX	DEN / STG MIN / MAX	
CROP *			
P, CORN, DENT	---/13	---/16	IN
DKC64-87	/	/	
(PLANTED) 05/15/2017	24 DAP	32 DAP	
PEST *			
P, WATERHEMP, COMMO	---/11 0.50/0.50	---/13 0.50/1.00	IN
P, RAGWEED, COMMON	---/12 1.00/2.00	---/16 2.00/6.00	IN
P, MORNINGGLORY, TA	---/11 0.50/1.00	---/14 2.00/4.00	IN

\*\*\* CONTINUE

TRIAL # US 116/17/01 002 02 : UCMONPOS\* C-500  
APPLICATIONS

SPECIE AND STAGE	DEN / STG	DEN / STG	
	MIN / MAX	MIN / MAX	
<b>PEST *</b>			
<b>P, FOXTAIL, GIANT</b>	---/12 1.00/2.00	---/13 1.00/4.00	IN

**\* TIMING CODES**

11 = --- / EPOST  
12 = --- / POST

**\* STAGE CODE**

11 = 1ST TRUE LEAF/LEAF PAIR/WHORL UNFOLDED  
12 = 2 LEAVES UNFOLDED  
12 = 2ND TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
13 = 3 LEAVES UNFOLDED  
13 = 3 LEAVES UNFOLDED  
13 = 3RD TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
16 = 6 LEAVES UNFOLDED  
16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

**TRIAL # US 116/17/01 002 02 : UCMONPOS\* C-500  
DATA MEAN**

**TITLE:** Harness MAX One Pass POST Weed Control Systems. C-500.  
**CREATED:** 04/17/2017 **REVISED:** 02/13/2018 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Urbana **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 35.00 FT LONG  
**PLOT AREA:** 262.50 SFT

**REPS: 03**

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD	ZEAMD	ZEAMD	SETFA	AMATA	AMBEL
		RATE	UNIT		CON % 06/12/17	CON % 06/15/17	CON % 06/18/17	CON % 06/18/17	CON % 06/18/17	CON % 06/18/17
1A»	HARNES MAX	1.19	LAA	11	0	0	0	88	85	78
B»	RNDUP POWERMAX	0.94	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
2A»	HALEX GT 4.38L	1.97	LAA	11	0	0	0	88	88	79
B»	PREFERENCE	0.25	PMV	11						
C»	LIQUID AMS	2.50	PMV	11						
3A»	HARNES MAX	1.19	LAA	11	0	0	0	99	99	99
B	ATRAZINE DF	1.00	LAA	11						
C»	RNDUP POWERMAX	0.94	LAA	11						
D»	LIQUID AMS	2.50	PMV	11						
4A	CHECK	0.00	NA	0	0	0	0	0	0	0
5A»	HALEX GT 4.38L	1.97	LAA	11	0	0	0	98	99	99
B	ATRAZINE DF	1.00	LAA	11						
C»	PREFERENCE	0.25	PMV	11						
D»	LIQUID AMS	2.50	PMV	11						
6A»	MON 301144	1.19	LAA	11	0	0	0	98	96	88
B»	RNDUP POWERMAX	1.13	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
7A»	MON 301144	1.19	LAA	11	0	0	0	99	99	99
B	ATRAZINE DF	1.00	LAA	11						
C»	RNDUP POWERMAX	1.13	LAA	11						
D»	LIQUID AMS	2.50	PMV	11						
8A»	RESICORE 3.29S	1.03	LAA	11	0	0	0	98	99	99
B»	RNDUP POWERMAX	0.94	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
9A»	CAPRENO 3.45 S	0.081	LAA	11	0	0	0	98	97	96
B»	RNDUP POWERMAX	1.13	LAA	11						
C»	SUPERB HC	0.50	PMV	11						
D»	LIQUID AMS	2.50	PMV	11						
10A»	HARNES MAX	1.19	LAA	12	C	C	0	C	C	C
B»	RNDUP POWERMAX	0.94	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
11A»	HALEX GT 4.38L	1.97	LAA	12	C	C	0	C	C	C
B»	PREFERENCE	0.25	PMV	12						
C»	LIQUID AMS	2.50	PMV	12						
12A»	HARNES MAX	1.19	LAA	12	C	C	0	C	C	C
B	ATRAZINE DF	1.00	LAA	12						
C»	RNDUP POWERMAX	0.94	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
13A»	HALEX GT 4.38L	1.97	LAA	12	C	C	0	C	C	C
B	ATRAZINE DF	1.00	LAA	12						
C»	PREFERENCE	0.25	PMV	12						
D»	LIQUID AMS	2.50	PMV	12						
14A»	MON 301144	1.19	LAA	12	C	C	0	C	C	C
B»	RNDUP POWERMAX	1.13	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
15A»	MON 301144	1.19	LAA	12	C	C	0	C	C	C
B	ATRAZINE DF	1.00	LAA	12						
C»	RNDUP POWERMAX	1.13	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
16A	CHECK	0.00	NA	0	C	C	0	C	C	C

TRIAL # US 116/17/01 002 02 : UCMONPOS\* C-500  
DATA MEAN

**TITLE:** Harness MAX One Pass POST Weed Control Systems. C-500.

TRT NUM	TREATMENT COMPONENT	DOSAGE		ZEAMD	ZEAMD	ZEAMD	SETFA	AMATA	AMBEL
		RATE	UNIT TM	CON % 06/12/17	CON % 06/15/17	CON % 06/18/17	CON % 06/18/17	CON % 06/18/17	CON % 06/18/17
17A»	RESICORE 3.29S	1.03	LAA 12	C	C	0	C	C	C
	B»RNDUP POWERMAX	0.94	LAA 12						
	C»LIQUID AMS	2.50	PMV 12						
18A»	CAPRENO 3.45 S	0.081	LAA 12	C	C	0	C	C	C
	B»RNDUP POWERMAX	1.13	LAA 12						
	C»SUPERB HC	0.50	PMV 12						
	D»LIQUID AMS	2.50	PMV 12						
		LSD (0.05)		0.0	0.0	0.0	1.9	3.0	4.9
		STANDARD DEVIATION		0.0	0.0	0.0	1.0	1.5	2.4

**TRIAL # US 116/17/01 002 02 : UCMONPOS\* C-500  
DATA MEAN**

**TITLE:** Harness MAX One Pass POST Weed Control Systems. C-500.  
**CREATED:** 04/17/2017 **REVISED:** 02/13/2018 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Urbana **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 35.00 FT LONG  
**PLOT AREA:** 262.50 SFT

**REPS: 03**

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	PHBPU	ZEAMD	ZEAMD	SETFA	AMATA	AMBEL
		RATE	UNIT		CON % 06/18/17	CON % 06/24/17	CON % 06/30/17	CON % 06/30/17	CON % 06/30/17	CON % 06/30/17
1A»	HARNES MAX	1.19	LAA	11	75	0	0	93	96	86
B»	RNDUP POWERMAX	0.94	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
2A»	HALEX GT 4.38L	1.97	LAA	11	73	0	0	96	88	87
B»	PREFERENCE	0.25	PMV	11						
C»	LIQUID AMS	2.50	PMV	11						
3A»	HARNES MAX	1.19	LAA	11	99	0	0	99	99	99
B	ATRAZINE DF	1.00	LAA	11						
C»	RNDUP POWERMAX	0.94	LAA	11						
D»	LIQUID AMS	2.50	PMV	11						
4A	CHECK	0.00	NA	0	0	0	0	0	0	0
5A»	HALEX GT 4.38L	1.97	LAA	11	98	0	0	98	99	99
B	ATRAZINE DF	1.00	LAA	11						
C»	PREFERENCE	0.25	PMV	11						
D»	LIQUID AMS	2.50	PMV	11						
6A»	MON 301144	1.19	LAA	11	69	0	0	98	98	95
B»	RNDUP POWERMAX	1.13	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
7A»	MON 301144	1.19	LAA	11	99	0	0	99	99	99
B	ATRAZINE DF	1.00	LAA	11						
C»	RNDUP POWERMAX	1.13	LAA	11						
D»	LIQUID AMS	2.50	PMV	11						
8A»	RESICORE 3.29S	1.03	LAA	11	75	0	0	99	99	99
B»	RNDUP POWERMAX	0.94	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
9A»	CAPRENO 3.45 S	0.081	LAA	11	70	0	0	98	99	99
B»	RNDUP POWERMAX	1.13	LAA	11						
C»	SUPERB HC	0.50	PMV	11						
D»	LIQUID AMS	2.50	PMV	11						
10A»	HARNES MAX	1.19	LAA	12	C	0	0	99	95	94
B»	RNDUP POWERMAX	0.94	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
11A»	HALEX GT 4.38L	1.97	LAA	12	C	0	0	99	99	98
B»	PREFERENCE	0.25	PMV	12						
C»	LIQUID AMS	2.50	PMV	12						
12A»	HARNES MAX	1.19	LAA	12	C	0	0	99	99	99
B	ATRAZINE DF	1.00	LAA	12						
C»	RNDUP POWERMAX	0.94	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
13A»	HALEX GT 4.38L	1.97	LAA	12	C	0	0	99	99	99
B	ATRAZINE DF	1.00	LAA	12						
C»	PREFERENCE	0.25	PMV	12						
D»	LIQUID AMS	2.50	PMV	12						
14A»	MON 301144	1.19	LAA	12	C	0	0	99	99	99
B»	RNDUP POWERMAX	1.13	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
15A»	MON 301144	1.19	LAA	12	C	0	0	99	99	99
B	ATRAZINE DF	1.00	LAA	12						
C»	RNDUP POWERMAX	1.13	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
16A	CHECK	0.00	NA	0	C	0	0	0	0	0

**TRIAL # US 116/17/01 002 02 : UCMONPOS\* C-500**  
**DATA MEAN**

**TITLE:** Harness MAX One Pass POST Weed Control Systems. C-500.

TRT NUM	TREATMENT COMPONENT	DOSAGE		PHBPU	ZEAMD	ZEAMD	SETFA	AMATA	AMBEL
		RATE	UNIT TM	CON % 06/18/17	CON % 06/24/17	CON % 06/30/17	CON % 06/30/17	CON % 06/30/17	CON % 06/30/17
17A»	RESICORE 3.29S	1.03	LAA 12	C	0	0	99	99	99
	B»RNDUP POWERMAX	0.94	LAA 12						
	C»LIQUID AMS	2.50	PMV 12						
18A»	CAPRENO 3.45 S	0.081	LAA 12	C	0	0	99	99	99
	B»RNDUP POWERMAX	1.13	LAA 12						
	C»SUPERB HC	0.50	PMV 12						
	D»LIQUID AMS	2.50	PMV 12						
		LSD (0.05)		6.6	0.0	0.0	2.6	3.6	7.5
		STANDARD DEVIATION		3.3	0.0	0.0	1.3	1.8	3.7

**TRIAL # US 116/17/01 002 02 : UCMONPOS\* C-500  
DATA MEAN**

**TITLE:** Harness MAX One Pass POST Weed Control Systems. C-500.  
**CREATED:** 04/17/2017 **REVISED:** 02/13/2018 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Urbana **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 35.00 FT LONG  
**PLOT AREA:** 262.50 SFT

**REPS: 03**

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	PHBPU	SETFA	AMATA	AMBEL	PHBPU	SETFA
		RATE	UNIT		CON % 06/30/17	CON % 07/10/17	CON % 07/10/17	CON % 07/10/17	CON % 07/10/17	CON % 08/05/17
1A»	HARNES MAX	1.19	LAA	11	79	92	96	90	80	86
B»	RNDUP POWERMAX	0.94	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
2A»	HALEX GT 4.38L	1.97	LAA	11	73	94	92	93	73	87
B»	PREFERENCE	0.25	PMV	11						
C»	LIQUID AMS	2.50	PMV	11						
3A»	HARNES MAX	1.19	LAA	11	97	99	99	99	93	98
B	ATRAZINE DF	1.00	LAA	11						
C»	RNDUP POWERMAX	0.94	LAA	11						
D»	LIQUID AMS	2.50	PMV	11						
4A	CHECK	0.00	NA	0	0	0	0	0	0	0
5A»	HALEX GT 4.38L	1.97	LAA	11	93	97	98	99	90	94
B	ATRAZINE DF	1.00	LAA	11						
C»	PREFERENCE	0.25	PMV	11						
D»	LIQUID AMS	2.50	PMV	11						
6A»	MON 301144	1.19	LAA	11	80	97	97	96	85	96
B»	RNDUP POWERMAX	1.13	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
7A»	MON 301144	1.19	LAA	11	98	98	99	99	93	97
B	ATRAZINE DF	1.00	LAA	11						
C»	RNDUP POWERMAX	1.13	LAA	11						
D»	LIQUID AMS	2.50	PMV	11						
8A»	RESICORE 3.29S	1.03	LAA	11	80	99	99	99	82	98
B»	RNDUP POWERMAX	0.94	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
9A»	CAPRENO 3.45 S	0.081	LAA	11	82	98	99	99	79	98
B»	RNDUP POWERMAX	1.13	LAA	11						
C»	SUPERB HC	0.50	PMV	11						
D»	LIQUID AMS	2.50	PMV	11						
10A»	HARNES MAX	1.19	LAA	12	83	99	93	93	75	97
B»	RNDUP POWERMAX	0.94	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
11A»	HALEX GT 4.38L	1.97	LAA	12	88	99	99	98	80	96
B»	PREFERENCE	0.25	PMV	12						
C»	LIQUID AMS	2.50	PMV	12						
12A»	HARNES MAX	1.19	LAA	12	95	98	99	99	93	94
B	ATRAZINE DF	1.00	LAA	12						
C»	RNDUP POWERMAX	0.94	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
13A»	HALEX GT 4.38L	1.97	LAA	12	96	99	99	99	94	99
B	ATRAZINE DF	1.00	LAA	12						
C»	PREFERENCE	0.25	PMV	12						
D»	LIQUID AMS	2.50	PMV	12						
14A»	MON 301144	1.19	LAA	12	86	99	99	98	83	99
B»	RNDUP POWERMAX	1.13	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
15A»	MON 301144	1.19	LAA	12	97	99	99	99	94	99
B	ATRAZINE DF	1.00	LAA	12						
C»	RNDUP POWERMAX	1.13	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
16A	CHECK	0.00	NA	0	0	0	0	0	0	0

TRIAL # US 116/17/01 002 02 : UCMONPOS\* C-500  
DATA MEAN

**TITLE:** Harness MAX One Pass POST Weed Control Systems. C-500.

TRT NUM	TREATMENT COMPONENT	DOSAGE		PHBPU	SETFA	AMATA	AMBEL	PHBPU	SETFA
		RATE	UNIT TM	CON % 06/30/17	CON % 07/10/17	CON % 07/10/17	CON % 07/10/17	CON % 07/10/17	CON % 08/05/17
17A»	RESICORE 3.29S	1.03	LAA 12	84	99	99	99	77	99
	B»RNDUP POWERMAX	0.94	LAA 12						
	C»LIQUID AMS	2.50	PMV 12						
18A»	CAPRENO 3.45 S	0.081	LAA 12	84	97	98	99	75	94
	B»RNDUP POWERMAX	1.13	LAA 12						
	C»SUPERB HC	0.50	PMV 12						
	D»LIQUID AMS	2.50	PMV 12						
		LSD (0.05)		6.3	4.2	4.2	6.0	5.3	8.1
		STANDARD DEVIATION		3.1	2.1	2.1	3.0	2.6	4.0



**TRIAL # US 116/17/01 002 02 : UCMONPOS\* C-500  
DATA MEAN**

**TITLE:** Harness MAX One Pass POST Weed Control Systems. C-500.  
**CREATED:** 04/17/2017 **REVISED:** 02/13/2018 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Urbana **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 35.00 FT LONG  
**PLOT AREA:** 262.50 SFT

**REPS: 03**

TRT NUM	TREATMENT COMPONENT	DOSAGE			AMATA	AMBEL	PHBPU
		RATE	UNIT	TM	CON % 08/05/17	CON % 08/05/17	CON % 08/05/17
1A	HARNES MAX	1.19	LAA	11	93	88	75
B	RNDUP POWERMAX	0.94	LAA	11			
C	LIQUID AMS	2.50	PMV	11			
2A	HALEX GT 4.38L	1.97	LAA	11	85	96	60
B	PREFERENCE	0.25	PMV	11			
C	LIQUID AMS	2.50	PMV	11			
3A	HARNES MAX	1.19	LAA	11	99	99	90
B	ATRAZINE DF	1.00	LAA	11			
C	RNDUP POWERMAX	0.94	LAA	11			
D	LIQUID AMS	2.50	PMV	11			
4A	CHECK	0.00	NA	0	0	0	0
5A	HALEX GT 4.38L	1.97	LAA	11	94	98	88
B	ATRAZINE DF	1.00	LAA	11			
C	PREFERENCE	0.25	PMV	11			
D	LIQUID AMS	2.50	PMV	11			
6A	MON 301144	1.19	LAA	11	94	95	82
B	RNDUP POWERMAX	1.13	LAA	11			
C	LIQUID AMS	2.50	PMV	11			
7A	MON 301144	1.19	LAA	11	99	99	89
B	ATRAZINE DF	1.00	LAA	11			
C	RNDUP POWERMAX	1.13	LAA	11			
D	LIQUID AMS	2.50	PMV	11			
8A	RESICORE 3.29S	1.03	LAA	11	98	99	73
B	RNDUP POWERMAX	0.94	LAA	11			
C	LIQUID AMS	2.50	PMV	11			
9A	CAPRENO 3.45 S	0.081	LAA	11	99	99	80
B	RNDUP POWERMAX	1.13	LAA	11			
C	SUPERB HC	0.50	PMV	11			
D	LIQUID AMS	2.50	PMV	11			
10A	HARNES MAX	1.19	LAA	12	83	91	65
B	RNDUP POWERMAX	0.94	LAA	12			
C	LIQUID AMS	2.50	PMV	12			
11A	HALEX GT 4.38L	1.97	LAA	12	99	98	70
B	PREFERENCE	0.25	PMV	12			
C	LIQUID AMS	2.50	PMV	12			
12A	HARNES MAX	1.19	LAA	12	99	99	92
B	ATRAZINE DF	1.00	LAA	12			
C	RNDUP POWERMAX	0.94	LAA	12			
D	LIQUID AMS	2.50	PMV	12			
13A	HALEX GT 4.38L	1.97	LAA	12	99	99	93
B	ATRAZINE DF	1.00	LAA	12			
C	PREFERENCE	0.25	PMV	12			
D	LIQUID AMS	2.50	PMV	12			
14A	MON 301144	1.19	LAA	12	99	97	75
B	RNDUP POWERMAX	1.13	LAA	12			
C	LIQUID AMS	2.50	PMV	12			
15A	MON 301144	1.19	LAA	12	99	99	94
B	ATRAZINE DF	1.00	LAA	12			
C	RNDUP POWERMAX	1.13	LAA	12			
D	LIQUID AMS	2.50	PMV	12			
16A	CHECK	0.00	NA	0	0	0	0

TRIAL # US 116/17/01 002 02 : UCMONPOS\* C-500  
DATA MEAN

TITLE: Harness MAX One Pass POST Weed Control Systems. C-500.

TRT NUM	TREATMENT COMPONENT	DOSAGE		AMATA	AMBEL	PHBPU
		RATE	UNIT	CON % 08/05/17	CON % 08/05/17	CON % 08/05/17
17A»	RESICORE 3.29S	1.03	LAA 12	99	99	67
	B»RNDUP POWERMAX	0.94	LAA 12			
	C»LIQUID AMS	2.50	PMV 12			
18A»	CAPRENO 3.45 S	0.081	LAA 12	96	99	63
	B»RNDUP POWERMAX	1.13	LAA 12			
	C»SUPERB HC	0.50	PMV 12			
	D»LIQUID AMS	2.50	PMV 12			
LSD (0.05)				8.9	7.3	7.2
STANDARD DEVIATION				4.4	3.6	3.6

» = SUPPLEMENTAL CHEMICAL

---,M,C,D = MISSING DATA

\* TIMING CODES

00 = --- / UNTREATED TIMING  
 11 = --- / EPOST 06/08/2017(1)  
 12 = --- / POST 06/16/2017(2)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTR	SS	NOTE
001	ZEAMD	CON %	06/12/2017	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	ZEAMD	CON %	06/15/2017	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	ZEAMD	CON %	06/18/2017	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	SETFA	CON %	06/18/2017	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	AMATA	CON %	06/18/2017	03	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	AMBEL	CON %	06/18/2017	04	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	PHBPU	CON %	06/18/2017	05	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	ZEAMD	CON %	06/24/2017	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	ZEAMD	CON %	06/30/2017	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	SETFA	CON %	06/30/2017	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	AMATA	CON %	06/30/2017	03	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	AMBEL	CON %	06/30/2017	04	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	PHBPU	CON %	06/30/2017	05	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	SETFA	CON %	07/10/2017	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	AMATA	CON %	07/10/2017	03	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	AMBEL	CON %	07/10/2017	04	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
017	PHBPU	CON %	07/10/2017	05	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
018	SETFA	CON %	08/05/2017	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
019	AMATA	CON %	08/05/2017	03	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
020	AMBEL	CON %	08/05/2017	04	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
021	PHBPU	CON %	08/05/2017	05	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

\* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)

01 = DKC64-87