

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIX
PH: 6.0
%OM: 3.5
PREV.CROP: GLXMA - SOYBEAN
%RESIDUE: 0
PLOT WIDTH: 7.5 X 30 FEET
PLOT AREA: 225 FEET

DESIGN: RCB
REPS: 3

APPL. NUMBER	01	UNIT
TIMINGS	10	
TYPE	LIQUID MI	
APPLICATION DATE	05/22/17	AME
TIME - BEGIN	09:30	24H
TIME - END	10:00	24H
AIR TEMPERATURE	62	F
% REL.HUMIDITY	57	
WIND DIRECTION	SOUTH	
WIND SPEED	5.0	M/H
CLOUD COVER	CLEAR-0%	
DEW	NO	
SOIL MOISTURE	MOIST/MOI	
SOIL CONDITION	TO BE SEL	
SOIL TEMP/DEPTH	60/4.00	F/IN
METHOD	SPRAY	
EQUIPMENT	BACKPACK/	
PROPELLANT	COMPRESSE	
PLACEMENT	BROADCAST	
NOZZLE	FLATFAN	
NOZZLE DESCRIPTION		
NOZZLE VOLUME	0.00	GPM
NOZZLE NUMBER	5	
NOZZLE SPACING	18.000	IN
SCREEN SIZE		
SCREEN SZ DESC	NA	
SWATH WIDTH	7.5	FT
BOOM HEIGHT	20.0	IN
SPEED	3.00	M/H
MIX SIZE	0.330	
MIX SIZE UNIT	GAL	
SPRAY VOLUME	20.00	
SPRAY VOLUME UNIT	GPA	
PRESSURE	30.00	PSI
DILUENT	WATER	
INC. DATE		AME
INC. START		24H
INC. END		24H
INC. DEPTH		IN
INC. EQUIPMENT	TO BE SEL	
FOLIAGE HEIGHT		FT
FOLIAGE WIDTH		FT
ROW WIDTH		FT
SPRAY VOL LWA/TRV		
S VOL LWA/TRV UNIT		
LEAF WALL AREA		M2H
TREE ROW VOLUME		M3H
SPECIE AND STAGE	DEN / STG MIN / MAX	
CROP *		
P, CORN, DENT	---/13	
G10T63-3122 E-Z	3.00/4.00	IN
(PLANTED) 04/24/2017	28 DAP	
PEST *		
P, VELVETLEAF	---/12	
	1.00/1.50	IN
P, WATERHEMP, COMMO	---/11	
	0.50/0.50	IN
P, LAMBSQUARTERS, C	---/12	
	0.50/0.50	IN

*** CONTINUE

TRIAL # US 126/17/01 002 02 : UCDFLEXX* AS-400
APPLICATIONS

SPECIE AND STAGE	DEN / STG MIN / MAX	
PEST * P, MORNINGGLORY, TA	---/11 1.00/1.00	IN
P, FOXTAIL, GIANT	---/12 1.00/2.00	IN
P, COCKLEBUR, COMMO	---/10 1.00/1.00	IN

*** TIMING CODES**

10 = --- / VEPOST

*** STAGE CODE**

10 = 1ST LEAF EMERGED; COTYLEDONS UNFOLDED
 11 = 1ST TRUE LEAF/LEAF PAIR/WHORL UNFOLDED
 12 = 2 LEAVES UNFOLDED
 12 = 2ND TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 13 = 3 LEAVES UNFOLDED

TRIAL # US 126/17/01 002 02 : UCDFLEXX* AS-400
DATA MEAN

TITLE: Efficacy and Safety of Diflexx for Early Season Application in Corn. AS-400
 CREATED: 04/20/2017 REVISED: 02/13/2018 COMPLETED: N
 PROJECT TYPE: HERBICIDE
 LOCATION: Urbana RESEARCHED BY: UNIV. OF ILL
 DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
 PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
 PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	AMATA	CHEAL	ABUTH	PHBPU
		RATE	UNIT	TM	CON % 05/29/17	CON % 05/29/17	CON % 05/29/17	CON % 05/29/17	CON % 05/29/17	CON % 05/29/17
1A»	CORVUS 2.6SC	0.091	LAA	10	1	77	99	99	99	87
B	ATRAZINE DF	0.50	LAA	10						
2A»	ACURON 3.44 ZC	1.72	LAA	10	0	97	99	99	99	99
3A	CHECK	0.00	NA	0	0	0	0	0	0	0
4A»	CAPRENO 3.45 S	0.081	LAA	10	0	98	99	99	99	98
B	ROUNDUP W-MAX	1.125	LAA	10						
C	ATRAZINE DF	0.50	LAA	10						
D»	COC	1.00	PMV	10						
5A»	HALEX GT 4.38L	1.97	LAA	10	0	98	99	99	99	99
B	ATRAZINE DF	0.50	LAA	10						
C»	ACTIVATOR 90	0.25	PMV	10						
6A»	DIFLEXX 4L	0.25	LAA	10	0	0	37	67	37	30
B»	COC	1.00	PMV	10						
7A»	STATUS 56DG	0.105	LAA	10	0	13	80	91	70	67
B»	COC	1.00	PMV	10						
8A»	CORVUS 2.6SC	0.091	LAA	10	0	79	99	99	99	92
B»	DIFLEXX 4L	0.25	LAA	10						
C	ATRAZINE DF	0.50	LAA	10						
9A»	ACURON 3.44 ZC	1.72	LAA	10	0	97	99	99	99	99
B»	DIFLEXX 4L	0.25	LAA	10						
10A»	CAPRENO 3.45 S	0.081	LAA	10	0	99	99	99	99	96
B	ROUNDUP W-MAX	1.125	LAA	10						
C»	DIFLEXX 4L	0.25	LAA	10						
D	ATRAZINE DF	0.50	LAA	10						
E»	COC	1.00	PMV	10						
11A»	HALEX GT 4.38L	1.97	LAA	10	0	98	99	99	99	99
B»	DIFLEXX 4L	0.25	LAA	10						
C	ATRAZINE DF	0.50	LAA	10						
D»	ACTIVATOR 90	0.25	PMV	10						
12A»	CORVUS 2.6SC	0.091	LAA	10	0	83	99	99	99	96
B»	STATUS 56DG	0.105	LAA	10						
C	ATRAZINE DF	0.50	LAA	10						
13A»	ACURON 3.44 ZC	1.72	LAA	10	0	91	99	99	99	99
B»	STATUS 56DG	0.105	LAA	10						
14A	CHECK	0.00	NA	0	0	0	0	0	0	0
15A»	CAPRENO 3.45 S	0.081	LAA	10	0	98	99	99	99	98
B	ROUNDUP W-MAX	1.125	LAA	10						
C»	STATUS 56DG	0.105	LAA	10						
D	ATRAZINE DF	0.50	LAA	10						
E»	COC	1.00	PMV	10						
16A»	HALEX GT 4.38L	1.97	LAA	10	0	97	99	99	99	99
B»	STATUS 56DG	0.105	LAA	10						
C	ATRAZINE DF	0.50	LAA	10						
D»	ACTIVATOR 90	0.25	PMV	10						
LSD (0.05)					0.5	6.3	6.8	2.6	2.4	5.8
STANDARD DEVIATION					0.2	3.1	3.3	1.3	1.2	2.9

**TRIAL # US 126/17/01 002 02 : UCDFLEXX* AS-400
DATA MEAN**

TITLE: Efficacy and Safety of Diflexx for Early Season Application in Corn. AS-400
CREATED: 04/20/2017 **REVISED:** 02/13/2018 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			XANST	ZEAMD	SETFA	AMATA	CHEAL	ABUTH
		RATE	UNIT	TM	CON % 05/29/17	CON % 06/05/17	CON % 06/05/17	CON % 06/05/17	CON % 06/05/17	CON % 06/05/17
1A»	CORVUS 2.6SC	0.091	LAA	10	95	0	85	99	99	99
	B ATRAZINE DF	0.50	LAA	10						
2A»	ACURON 3.44 ZC	1.72	LAA	10	99	0	95	99	99	99
3A	CHECK	0.00	NA	0	0	0	0	0	0	0
4A»	CAPRENO 3.45 S	0.081	LAA	10	99	0	95	99	99	99
	B ROUNDUP W-MAX	1.125	LAA	10						
	C ATRAZINE DF	0.50	LAA	10						
	D»COC	1.00	PMV	10						
5A»	HALEX GT 4.38L	1.97	LAA	10	99	0	99	99	99	99
	B ATRAZINE DF	0.50	LAA	10						
	C»ACTIVATOR 90	0.25	PMV	10						
6A»	DIFLEXX 4L	0.25	LAA	10	33	0	0	20	37	27
	B»COC	1.00	PMV	10						
7A»	STATUS 56DG	0.105	LAA	10	70	0	43	94	98	93
	B»COC	1.00	PMV	10						
8A»	CORVUS 2.6SC	0.091	LAA	10	99	0	72	99	99	99
	B»DIFLEXX 4L	0.25	LAA	10						
	C ATRAZINE DF	0.50	LAA	10						
9A»	ACURON 3.44 ZC	1.72	LAA	10	99	0	90	99	99	99
	B»DIFLEXX 4L	0.25	LAA	10						
10A»	CAPRENO 3.45 S	0.081	LAA	10	99	0	94	99	99	99
	B ROUNDUP W-MAX	1.125	LAA	10						
	C»DIFLEXX 4L	0.25	LAA	10						
	D ATRAZINE DF	0.50	LAA	10						
	E»COC	1.00	PMV	10						
11A»	HALEX GT 4.38L	1.97	LAA	10	99	0	98	99	99	99
	B»DIFLEXX 4L	0.25	LAA	10						
	C ATRAZINE DF	0.50	LAA	10						
	D»ACTIVATOR 90	0.25	PMV	10						
12A»	CORVUS 2.6SC	0.091	LAA	10	99	0	82	99	99	99
	B»STATUS 56DG	0.105	LAA	10						
	C ATRAZINE DF	0.50	LAA	10						
13A»	ACURON 3.44 ZC	1.72	LAA	10	99	0	89	99	99	99
	B»STATUS 56DG	0.105	LAA	10						
14A	CHECK	0.00	NA	0	0	0	0	0	0	0
15A»	CAPRENO 3.45 S	0.081	LAA	10	99	0	98	99	99	99
	B ROUNDUP W-MAX	1.125	LAA	10						
	C»STATUS 56DG	0.105	LAA	10						
	D ATRAZINE DF	0.50	LAA	10						
	E»COC	1.00	PMV	10						
16A»	HALEX GT 4.38L	1.97	LAA	10	99	0	98	99	99	99
	B»STATUS 56DG	0.105	LAA	10						
	C ATRAZINE DF	0.50	LAA	10						
	D»ACTIVATOR 90	0.25	PMV	10						
		LSD (0.05)			6.7	0.0	8.2	5.2	6.4	2.6
		STANDARD DEVIATION			3.3	0.0	4.0	2.5	3.1	1.3

TRIAL # US 126/17/01 002 02 : UCDFLEXX* AS-400
DATA MEAN

TITLE: Efficacy and Safety of Diflexx for Early Season Application in Corn. AS-400
 CREATED: 04/20/2017 REVISED: 02/13/2018 COMPLETED: N
 PROJECT TYPE: HERBICIDE
 LOCATION: Urbana RESEARCHED BY: UNIV. OF ILL
 DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
 PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
 PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			PHBPU	XANST	ZEAMD	SETFA	AMATA	CHEAL
		RATE	UNIT	TM	CON % 06/05/17	CON % 06/05/17	CON % 06/18/17	CON % 06/18/17	CON % 06/18/17	CON % 06/18/17
1A»	CORVUS 2.6SC	0.091	LAA	10	96	99	0	72	99	99
B	ATRAZINE DF	0.50	LAA	10						
2A»	ACURON 3.44 ZC	1.72	LAA	10	99	99	0	86	99	99
3A	CHECK	0.00	NA	0	0	0	0	0	0	0
4A»	CAPRENO 3.45 S	0.081	LAA	10	97	98	0	87	99	99
B	ROUNDUP W-MAX	1.125	LAA	10						
C	ATRAZINE DF	0.50	LAA	10						
D»	COC	1.00	PMV	10						
5A»	HALEX GT 4.38L	1.97	LAA	10	98	99	0	97	99	99
B	ATRAZINE DF	0.50	LAA	10						
C»	ACTIVATOR 90	0.25	PMV	10						
6A»	DIFLEXX 4L	0.25	LAA	10	33	33	0	0	53	53
B»	COC	1.00	PMV	10						
7A»	STATUS 56DG	0.105	LAA	10	83	95	0	23	85	87
B»	COC	1.00	PMV	10						
8A»	CORVUS 2.6SC	0.091	LAA	10	91	96	0	65	99	99
B»	DIFLEXX 4L	0.25	LAA	10						
C	ATRAZINE DF	0.50	LAA	10						
9A»	ACURON 3.44 ZC	1.72	LAA	10	97	99	0	90	99	99
B»	DIFLEXX 4L	0.25	LAA	10						
10A»	CAPRENO 3.45 S	0.081	LAA	10	94	99	0	86	99	99
B	ROUNDUP W-MAX	1.125	LAA	10						
C»	DIFLEXX 4L	0.25	LAA	10						
D	ATRAZINE DF	0.50	LAA	10						
E»	COC	1.00	PMV	10						
11A»	HALEX GT 4.38L	1.97	LAA	10	98	99	0	96	99	99
B»	DIFLEXX 4L	0.25	LAA	10						
C	ATRAZINE DF	0.50	LAA	10						
D»	ACTIVATOR 90	0.25	PMV	10						
12A»	CORVUS 2.6SC	0.091	LAA	10	98	99	0	72	99	99
B»	STATUS 56DG	0.105	LAA	10						
C	ATRAZINE DF	0.50	LAA	10						
13A»	ACURON 3.44 ZC	1.72	LAA	10	98	99	0	83	99	99
B»	STATUS 56DG	0.105	LAA	10						
14A	CHECK	0.00	NA	0	0	0	0	0	0	0
15A»	CAPRENO 3.45 S	0.081	LAA	10	97	99	0	89	97	99
B	ROUNDUP W-MAX	1.125	LAA	10						
C»	STATUS 56DG	0.105	LAA	10						
D	ATRAZINE DF	0.50	LAA	10						
E»	COC	1.00	PMV	10						
16A»	HALEX GT 4.38L	1.97	LAA	10	98	99	0	97	99	99
B»	STATUS 56DG	0.105	LAA	10						
C	ATRAZINE DF	0.50	LAA	10						
D»	ACTIVATOR 90	0.25	PMV	10						
LSD (0.05)					5.2	3.6	0.0	7.3	3.6	3.3
STANDARD DEVIATION					2.5	1.8	0.0	3.6	1.8	1.6

TRIAL # US 126/17/01 002 02 : UCDFLEXX* AS-400
DATA MEAN

TITLE: Efficacy and Safety of Diflexx for Early Season Application in Corn. AS-400
 CREATED: 04/20/2017 REVISED: 02/13/2018 COMPLETED: N
 PROJECT TYPE: HERBICIDE
 LOCATION: Urbana RESEARCHED BY: UNIV. OF ILL
 DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
 PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
 PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ABUTH	PHBPU	XANST	ZEAMD	SETFA	AMATA
		RATE	UNIT	TM	CON % 06/18/17	CON % 06/18/17	CON % 06/18/17	CON % 07/03/17	CON % 07/03/17	CON % 07/03/17
1A»	CORVUS 2.6SC	0.091	LAA	10	99	91	99	0	70	99
B	ATRAZINE DF	0.50	LAA	10						
2A»	ACURON 3.44 ZC	1.72	LAA	10	99	91	99	0	83	99
3A	CHECK	0.00	NA	0	0	0	0	0	0	0
4A»	CAPRENO 3.45 S	0.081	LAA	10	99	89	96	0	87	99
B	ROUNDUP W-MAX	1.125	LAA	10						
C	ATRAZINE DF	0.50	LAA	10						
D»	COC	1.00	PMV	10						
5A»	HALEX GT 4.38L	1.97	LAA	10	99	95	99	0	95	99
B	ATRAZINE DF	0.50	LAA	10						
C»	ACTIVATOR 90	0.25	PMV	10						
6A»	DIFLEXX 4L	0.25	LAA	10	40	63	50	0	0	53
B»	COC	1.00	PMV	10						
7A»	STATUS 56DG	0.105	LAA	10	75	82	87	0	40	85
B»	COC	1.00	PMV	10						
8A»	CORVUS 2.6SC	0.091	LAA	10	99	91	99	0	63	99
B»	DIFLEXX 4L	0.25	LAA	10						
C	ATRAZINE DF	0.50	LAA	10						
9A»	ACURON 3.44 ZC	1.72	LAA	10	99	90	99	0	88	99
B»	DIFLEXX 4L	0.25	LAA	10						
10A»	CAPRENO 3.45 S	0.081	LAA	10	99	87	99	0	84	99
B	ROUNDUP W-MAX	1.125	LAA	10						
C»	DIFLEXX 4L	0.25	LAA	10						
D	ATRAZINE DF	0.50	LAA	10						
E»	COC	1.00	PMV	10						
11A»	HALEX GT 4.38L	1.97	LAA	10	99	94	99	0	93	99
B»	DIFLEXX 4L	0.25	LAA	10						
C	ATRAZINE DF	0.50	LAA	10						
D»	ACTIVATOR 90	0.25	PMV	10						
12A»	CORVUS 2.6SC	0.091	LAA	10	99	88	99	0	70	99
B»	STATUS 56DG	0.105	LAA	10						
C	ATRAZINE DF	0.50	LAA	10						
13A»	ACURON 3.44 ZC	1.72	LAA	10	99	94	99	0	78	99
B»	STATUS 56DG	0.105	LAA	10						
14A	CHECK	0.00	NA	0	0	0	0	0	0	0
15A»	CAPRENO 3.45 S	0.081	LAA	10	99	92	99	0	85	96
B	ROUNDUP W-MAX	1.125	LAA	10						
C»	STATUS 56DG	0.105	LAA	10						
D	ATRAZINE DF	0.50	LAA	10						
E»	COC	1.00	PMV	10						
16A»	HALEX GT 4.38L	1.97	LAA	10	99	94	99	0	95	99
B»	STATUS 56DG	0.105	LAA	10						
C	ATRAZINE DF	0.50	LAA	10						
D»	ACTIVATOR 90	0.25	PMV	10						
LSD (0.05)					4.7	6.3	6.4	0.0	13.6	3.9
STANDARD DEVIATION					2.3	3.1	3.1	0.0	6.7	1.9

TRIAL # US 126/17/01 002 02 : UCDFLEXX* AS-400
DATA MEAN

TITLE: Efficacy and Safety of Diflexx for Early Season Application in Corn. AS-400
 CREATED: 04/20/2017 REVISED: 02/13/2018 COMPLETED: N
 PROJECT TYPE: HERBICIDE
 LOCATION: Urbana RESEARCHED BY: UNIV. OF ILL
 DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
 PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
 PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			CHEAL	ABUTH	PHBPU	XANST
		RATE	UNIT	TM	CON % 07/03/17	CON % 07/03/17	CON % 07/03/17	CON % 07/03/17
1A»	CORVUS 2.6SC	0.091	LAA	10	99	99	88	99
	B ATRAZINE DF	0.50	LAA	10				
2A»	ACURON 3.44 ZC	1.72	LAA	10	99	99	89	99
3A	CHECK	0.00	NA	0	0	0	0	0
4A»	CAPRENO 3.45 S	0.081	LAA	10	99	99	87	96
	B ROUNDUP W-MAX	1.125	LAA	10				
	C ATRAZINE DF	0.50	LAA	10				
	D»COC	1.00	PMV	10				
5A»	HALEX GT 4.38L	1.97	LAA	10	99	99	93	99
	B ATRAZINE DF	0.50	LAA	10				
	C»ACTIVATOR 90	0.25	PMV	10				
6A»	DIFLEXX 4L	0.25	LAA	10	53	40	63	50
	B»COC	1.00	PMV	10				
7A»	STATUS 56DG	0.105	LAA	10	87	75	80	85
	B»COC	1.00	PMV	10				
8A»	CORVUS 2.6SC	0.091	LAA	10	99	99	90	99
	B»DIFLEXX 4L	0.25	LAA	10				
	C ATRAZINE DF	0.50	LAA	10				
9A»	ACURON 3.44 ZC	1.72	LAA	10	99	99	87	99
	B»DIFLEXX 4L	0.25	LAA	10				
10A»	CAPRENO 3.45 S	0.081	LAA	10	99	99	85	99
	B ROUNDUP W-MAX	1.125	LAA	10				
	C»DIFLEXX 4L	0.25	LAA	10				
	D ATRAZINE DF	0.50	LAA	10				
	E»COC	1.00	PMV	10				
11A»	HALEX GT 4.38L	1.97	LAA	10	99	99	90	99
	B»DIFLEXX 4L	0.25	LAA	10				
	C ATRAZINE DF	0.50	LAA	10				
	D»ACTIVATOR 90	0.25	PMV	10				
12A»	CORVUS 2.6SC	0.091	LAA	10	99	99	85	99
	B»STATUS 56DG	0.105	LAA	10				
	C ATRAZINE DF	0.50	LAA	10				
13A»	ACURON 3.44 ZC	1.72	LAA	10	99	99	93	99
	B»STATUS 56DG	0.105	LAA	10				
14A	CHECK	0.00	NA	0	0	0	0	0
15A»	CAPRENO 3.45 S	0.081	LAA	10	99	99	90	99
	B ROUNDUP W-MAX	1.125	LAA	10				
	C»STATUS 56DG	0.105	LAA	10				
	D ATRAZINE DF	0.50	LAA	10				
	E»COC	1.00	PMV	10				
16A»	HALEX GT 4.38L	1.97	LAA	10	99	99	93	99
	B»STATUS 56DG	0.105	LAA	10				
	C ATRAZINE DF	0.50	LAA	10				
	D»ACTIVATOR 90	0.25	PMV	10				
		LSD (0.05)			3.3	4.7	6.5	5.9
		STANDARD DEVIATION			1.6	2.3	3.2	2.9

» = SUPPLEMENTAL CHEMICAL

* TIMING CODES

00 = --- / UNTREATED TIMING

TRIAL # US 126/17/01 002 02 : UCDFLEXX* AS-400
DATA MEAN

* TIMING CODES

10 = --- / VEPOST 05/22/2017(1)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRT	SS	NOTE
001	ZEAMD	CON %	05/29/2017	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	SETFA	CON %	05/29/2017	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	AMATA	CON %	05/29/2017	03	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	CHEAL	CON %	05/29/2017	04	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	ABUTH	CON %	05/29/2017	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	PHBPU	CON %	05/29/2017	06	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	XANST	CON %	05/29/2017	07	P	XANST		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	ZEAMD	CON %	06/05/2017	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	SETFA	CON %	06/05/2017	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	AMATA	CON %	06/05/2017	03	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	CHEAL	CON %	06/05/2017	04	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	ABUTH	CON %	06/05/2017	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	PHBPU	CON %	06/05/2017	06	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	XANST	CON %	06/05/2017	07	P	XANST		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	ZEAMD	CON %	06/18/2017	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	SETFA	CON %	06/18/2017	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
017	AMATA	CON %	06/18/2017	03	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
018	CHEAL	CON %	06/18/2017	04	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
019	ABUTH	CON %	06/18/2017	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
020	PHBPU	CON %	06/18/2017	06	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
021	XANST	CON %	06/18/2017	07	P	XANST		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
022	ZEAMD	CON %	07/03/2017	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
023	SETFA	CON %	07/03/2017	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
024	AMATA	CON %	07/03/2017	03	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
025	CHEAL	CON %	07/03/2017	04	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
026	ABUTH	CON %	07/03/2017	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
027	PHBPU	CON %	07/03/2017	06	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
028	XANST	CON %	07/03/2017	07	P	XANST		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)

01 = G10T63-3122 E-Z