

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL
PH: 6.3
%OM: 3.4
PREV.CROP: GLXMA - SOYBEAN
%RESIDUE: 0
PLOT WIDTH: 7.5 X 35 FEET
PLOT AREA: 262.5 FEET

DESIGN: RCB
REPS: 3

APPL. NUMBER	01	02	03	UNIT
TIMINGS	09	11	12	
TYPE	LIQUID MI	LIQUID MI	LIQUID MI	
APPLICATION DATE	04/21/17	05/22/17	05/30/17	AME
TIME - BEGIN	09:05	09:30	08:30	24H
TIME - END	09:30	10:00	09:00	24H
AIR TEMPERATURE	54	66	67	F
% REL.HUMIDITY	59	54	48	
WIND DIRECTION	NORTH	SOUTHWEST	WEST	
WIND SPEED	7.5	4.0	7.0	M/H
CLOUD COVER	CLOUDY--6	CLEAR-0%	CLEAR-0%	
DEW	TO BE SEL	NO	NO	
SOIL MOISTURE	DRY/MOIST	MOIST/MOI	DRY/MOIST	
SOIL CONDITION	TO BE SEL	TO BE SEL	TO BE SEL	
SOIL TEMP/DEPTH	58/4.00	60/4.00	69/4.00	F/IN
METHOD	SPRAY	SPRAY	SPRAY	
EQUIPMENT	BACKPACK/	BACKPACK/	BACKPACK/	
PROPELLANT	COMPRESSE	COMPRESSE	COMPRESSE	
PLACEMENT	BROADCAST	BROADCAST	BROADCAST	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	
NOZZLE DESCRIPTION				
NOZZLE VOLUME	0.00	0.00	0.00	GPM
NOZZLE NUMBER	5	5	5	
NOZZLE SPACING	18.000	18.000	18.000	IN
SCREEN SIZE				
SCREEN SZ DESC	NA	NA	NA	
SWATH WIDTH	7.5	7.5	7.5	FT
BOOM HEIGHT	20.0	20.0	20.0	IN
SPEED	3.00	3.00	3.00	M/H
MIX SIZE	0.380	0.380	0.380	
MIX SIZE UNIT	GAL	GAL	GAL	
SPRAY VOLUME	20.00	20.00	20.00	
SPRAY VOLUME UNIT	GPA	GPA	GPA	
PRESSURE	32.00	32.00	32.00	PSI
DILUENT	WATER	WATER	WATER	
INC. DATE				AME
INC. START				24H
INC. END				24H
INC. DEPTH				IN
INC. EQUIPMENT	TO BE SEL	TO BE SEL	TO BE SEL	
FOLIAGE HEIGHT				FT
FOLIAGE WIDTH				FT
ROW WIDTH				FT
SPRAY VOL LWA/TRV				
S VOL LWA/TRV UNIT				
LEAF WALL AREA				M2H
TREE ROW VOLUME				M3H
SPECIE AND STAGE	DEN / STG MIN / MAX	DEN / STG MIN / MAX	DEN / STG MIN / MAX	
CROP *				
P, CORN, DENT G10T63-3122 E-Z (PLANTED) 04/20/2017		---/13 3.00/4.00 32 DAP	---/15 6.00/6.00 40 DAP	IN
PEST *				
P, WATERHEMP, COMMO		---/10 0.25/0.25	---/13 1.00/1.00	IN
P, RAGWEED, COMMON		---/10 0.50/0.50	---/16 3.00/3.00	IN
P, MORNINGGLORY, TA		---/11 0.50/1.00	---/14 1.00/2.00	IN

*** CONTINUE

TRIAL # US 106/17/01 003 01 : UCBASFSYS C-500
APPLICATIONS

SPECIE AND STAGE	DEN / STG	DEN / STG	DEN / STG	
	MIN / MAX	MIN / MAX	MIN / MAX	
PEST * P, FOXTAIL, GIANT		---/11 0.50/1.00	---/13 1.00/2.00	IN

* TIMING CODES

09 = --- / PREEMERGENCE
 11 = --- / EPOST
 12 = --- / POST

* STAGE CODE

10 = 1ST LEAF EMERGED; COTYLEDONS UNFOLDED
 11 = FIRST LEAF UNFOLDED
 11 = 1ST TRUE LEAF/LEAF PAIR/WHORL UNFOLDED
 13 = 3 LEAVES UNFOLDED
 13 = 3 LEAVES UNFOLDED
 13 = 3RD TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 15 = 5 LEAVES UNFOLDED
 16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

**TRIAL # US 106/17/01 003 01 : UCBASFSYS C-500
DATA MEAN**

TITLE: Armezon Pro for Weed Control Systems in RR/LL Corn. C-500
CREATED: 04/18/2017 **REVISED:** 08/23/2017 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 35.00 FT LONG
PLOT AREA: 262.50 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD	SETFA	AMBEL	PHBPU	ZEAMD	SETFA
		RATE	UNIT		CON % 05/22/17	CON % 05/22/17	CON % 05/22/17	CON % 05/22/17	CON % 05/30/17	CON % 05/30/17
1A	»VERDICT 5.57L	0.435	LAA	9	0	99	99	47	0	99
B	»ARMEZON PRO 5.	0.67	LAA	11						
C	»ATRAZINE DF	0.50	LAA	11						
D	»RNDUP POWERMAX	1.125	LAA	11						
E	»PREFERENCE	0.25	PMV	11						
F	»LIQUID AMS	2.50	PMV	11						
2A	»VERDICT 5.57L	0.435	LAA	9	0	99	99	57	0	99
B	»STATUS 56DG	0.175	LAA	12						
C	»RNDUP POWERMAX	1.125	LAA	12						
D	»PREFERENCE	0.25	PMV	12						
E	»LIQUID AMS	2.50	PMV	12						
3A	»ZIDUA SC 4.17	0.108	LAA	9	0	99	99	57	0	99
B	»ATRAZINE DF	1.00	LAA	9						
C	»ARMEZON PRO 5.	0.585	LAA	12						
D	»ATRAZINE DF	0.50	LAA	12						
E	»RNDUP POWERMAX	1.125	LAA	12						
F	»PREFERENCE	0.25	PMV	12						
G	»LIQUID AMS	2.50	PMV	12						
4A	»ARMEZON PRO 5.	0.585	LAA	9	0	99	99	68	0	99
B	»ATRAZINE DF	1.00	LAA	9						
C	»STATUS 56DG	0.175	LAA	12						
D	»RNDUP POWERMAX	1.125	LAA	12						
E	»PREFERENCE	0.25	PMV	12						
F	»LIQUID AMS	2.50	PMV	12						
5A	»ARMEZON PRO 5.	0.585	LAA	9	0	99	99	40	0	99
B	»ATRAZINE DF	1.00	LAA	9						
C	»ARMEZON PRO 5.	0.585	LAA	11						
D	»ATRAZINE DF	0.50	LAA	11						
E	»RNDUP POWERMAX	1.125	LAA	11						
F	»PREFERENCE	0.25	PMV	11						
G	»LIQUID AMS	2.50	PMV	11						
6A	»SURESTART II 4	0.91	LAA	9	0	99	99	50	0	99
B	»RESICORE 3.29S	1.028	LAA	11						
C	»RNDUP POWERMAX	1.125	LAA	11						
D	»PREFERENCE	0.25	PMV	11						
E	»LIQUID AMS	2.50	PMV	11						
7A	»RESICORE 3.29S	1.028	LAA	9	0	99	99	60	0	99
B	»RESICORE 3.29S	1.028	LAA	11						
C	»RNDUP POWERMAX	1.125	LAA	11						
D	»PREFERENCE	0.25	PMV	11						
E	»LIQUID AMS	2.50	PMV	11						
8A	»ANTHEM ATZ 4.5	1.125	LAA	9	0	99	99	70	0	99
B	»CALLISTO 4SC	0.094	LAA	11						
C	»ATRAZINE DF	0.50	LAA	11						
D	»RNDUP POWERMAX	1.125	LAA	11						
E	»PREFERENCE	0.25	PMV	11						
F	»LIQUID AMS	2.50	PMV	11						
9A	CHECK	0.00	NA	0	0	0	0	0	0	0
10A	»VERDICT 5.57L	0.696	LAA	9	0	99	99	68	0	99
B	»STATUS 56DG	0.175	LAA	12						
C	»RNDUP POWERMAX	1.125	LAA	12						
D	»PREFERENCE	0.25	PMV	12						
E	»LIQUID AMS	2.50	PMV	12						
11A	»VERDICT 5.57L	0.435	LAA	9	0	99	99	63	0	99
B	»STATUS 56DG	0.175	LAA	12						
C	»ZIDUA SC 4.17	0.053	LAA	12						
D	»RNDUP POWERMAX	1.125	LAA	12						
E	»PREFERENCE	0.25	PMV	12						
F	»LIQUID AMS	2.50	PMV	12						

TRIAL # US 106/17/01 003 01 : UCBASFSYS C-500
DATA MEAN

TITLE: Armezon Pro for Weed Control Systems in RR/LL Corn. C-500

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	AMBEL	PHBPU	ZEAMD	SETFA
		RATE	UNIT	TM	CON % 05/22/17	CON % 05/22/17	CON % 05/22/17	CON % 05/22/17	CON % 05/30/17	CON % 05/30/17
12A»	ACURON 3.44 ZC	1.29	LAA	9	0	99	99	47	0	99
B»	HALEX GT 4.38L	1.97	LAA	11						
C	ATRAZINE DF	0.50	LAA	11						
D»	RNDUP POWERMAX	1.1125	LAA	11						
E»	PREFERENCE	0.25	PMV	11						
F»	LIQUID AMS	2.50	PMV	11						
		LSD (0.05)			0.0	0.0	0.0	14.2	0.0	0.0
		STANDARD DEVIATION			0.0	0.0	0.0	6.9	0.0	0.0

**TRIAL # US 106/17/01 003 01 : UCBAFSYS C-500
DATA MEAN**

TITLE: Armezon Pro for Weed Control Systems in RR/LL Corn. C-500
CREATED: 04/18/2017 **REVISED:** 08/23/2017 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 35.00 FT LONG
PLOT AREA: 262.50 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	AMBEL	PHBPU	AMATA	ZEAMD	SETFA	AMBEL
		RATE	UNIT		CON % 05/30/17	CON % 05/30/17	CON % 05/30/17	CON % 06/05/17	CON % 06/05/17	CON % 06/05/17
1A	»VERDICT 5.57L	0.435	LAA	9	99	97	99	0	99	99
B	»ARMEZON PRO 5.	0.67	LAA	11						
C	»ATRAZINE DF	0.50	LAA	11						
D	»RNDUP POWERMAX	1.125	LAA	11						
E	»PREFERENCE	0.25	PMV	11						
F	»LIQUID AMS	2.50	PMV	11						
2A	»VERDICT 5.57L	0.435	LAA	9	99	63	99	0	99	99
B	»STATUS 56DG	0.175	LAA	12						
C	»RNDUP POWERMAX	1.125	LAA	12						
D	»PREFERENCE	0.25	PMV	12						
E	»LIQUID AMS	2.50	PMV	12						
3A	»ZIDUA SC 4.17	0.108	LAA	9	99	68	99	0	99	99
B	»ATRAZINE DF	1.00	LAA	9						
C	»ARMEZON PRO 5.	0.585	LAA	12						
D	»ATRAZINE DF	0.50	LAA	12						
E	»RNDUP POWERMAX	1.125	LAA	12						
F	»PREFERENCE	0.25	PMV	12						
G	»LIQUID AMS	2.50	PMV	12						
4A	»ARMEZON PRO 5.	0.585	LAA	9	99	70	99	0	99	99
B	»ATRAZINE DF	1.00	LAA	9						
C	»STATUS 56DG	0.175	LAA	12						
D	»RNDUP POWERMAX	1.125	LAA	12						
E	»PREFERENCE	0.25	PMV	12						
F	»LIQUID AMS	2.50	PMV	12						
5A	»ARMEZON PRO 5.	0.585	LAA	9	99	97	99	0	99	99
B	»ATRAZINE DF	1.00	LAA	9						
C	»ARMEZON PRO 5.	0.585	LAA	11						
D	»ATRAZINE DF	0.50	LAA	11						
E	»RNDUP POWERMAX	1.125	LAA	11						
F	»PREFERENCE	0.25	PMV	11						
G	»LIQUID AMS	2.50	PMV	11						
6A	»SURESTART II 4	0.91	LAA	9	99	98	99	0	99	99
B	»RESICORE 3.29S	1.028	LAA	11						
C	»RNDUP POWERMAX	1.125	LAA	11						
D	»PREFERENCE	0.25	PMV	11						
E	»LIQUID AMS	2.50	PMV	11						
7A	»RESICORE 3.29S	1.028	LAA	9	99	99	99	0	99	99
B	»RESICORE 3.29S	1.028	LAA	11						
C	»RNDUP POWERMAX	1.125	LAA	11						
D	»PREFERENCE	0.25	PMV	11						
E	»LIQUID AMS	2.50	PMV	11						
8A	»ANTHEM ATZ 4.5	1.125	LAA	9	99	99	99	0	99	99
B	»CALLISTO 4SC	0.094	LAA	11						
C	»ATRAZINE DF	0.50	LAA	11						
D	»RNDUP POWERMAX	1.125	LAA	11						
E	»PREFERENCE	0.25	PMV	11						
F	»LIQUID AMS	2.50	PMV	11						
9A	CHECK	0.00	NA	0	0	0	0	0	0	0
10A	»VERDICT 5.57L	0.696	LAA	9	99	63	99	0	99	99
B	»STATUS 56DG	0.175	LAA	12						
C	»RNDUP POWERMAX	1.125	LAA	12						
D	»PREFERENCE	0.25	PMV	12						
E	»LIQUID AMS	2.50	PMV	12						
11A	»VERDICT 5.57L	0.435	LAA	9	99	65	99	0	99	99
B	»STATUS 56DG	0.175	LAA	12						
C	»ZIDUA SC 4.17	0.053	LAA	12						
D	»RNDUP POWERMAX	1.125	LAA	12						
E	»PREFERENCE	0.25	PMV	12						
F	»LIQUID AMS	2.50	PMV	12						

**TRIAL # US 106/17/01 003 01 : UCBASFSYS C-500
DATA MEAN**

TITLE: Armezon Pro for Weed Control Systems in RR/LL Corn. C-500

TRT NUM	TREATMENT COMPONENT	DOSAGE			AMBEL	PHBPU	AMATA	ZEAMD	SETFA	AMBEL
		RATE	UNIT	TM	CON % 05/30/17	CON % 05/30/17	CON % 05/30/17	CON % 06/05/17	CON % 06/05/17	CON % 06/05/17
12A	»ACURON 3.44 ZC	1.29	LAA	9	99	98	99	0	99	99
	B»HALEX GT 4.38L	1.97	LAA	11						
	C ATRAZINE DF	0.50	LAA	11						
	D»RNDUP POWERMAX	1.1125	LAA	11						
	E»PREFERENCE	0.25	PMV	11						
	F»LIQUID AMS	2.50	PMV	11						
		LSD (0.05)			0.0	10.2	0.0	0.0	0.0	0.0
		STANDARD DEVIATION			0.0	4.9	0.0	0.0	0.0	0.0

**TRIAL # US 106/17/01 003 01 : UCBAFSYS C-500
DATA MEAN**

TITLE: Armezon Pro for Weed Control Systems in RR/LL Corn. C-500
CREATED: 04/18/2017 **REVISED:** 08/23/2017 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 35.00 FT LONG
PLOT AREA: 262.50 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	PHBPU	AMATA	ZEAMD	SETFA	AMBEL	PHBPU
		RATE	UNIT		CON % 06/05/17	CON % 06/05/17	CON % 06/18/17	CON % 06/18/17	CON % 06/18/17	CON % 06/18/17
1A	»VERDICT 5.57L	0.435	LAA	9	99	99	0	99	99	93
B	»ARMEZON PRO 5.	0.67	LAA	11						
C	»ATRAZINE DF	0.50	LAA	11						
D	»RNDUP POWERMAX	1.125	LAA	11						
E	»PREFERENCE	0.25	PMV	11						
F	»LIQUID AMS	2.50	PMV	11						
2A	»VERDICT 5.57L	0.435	LAA	9	93	99	0	99	99	97
B	»STATUS 56DG	0.175	LAA	12						
C	»RNDUP POWERMAX	1.125	LAA	12						
D	»PREFERENCE	0.25	PMV	12						
E	»LIQUID AMS	2.50	PMV	12						
3A	»ZIDUA SC 4.17	0.108	LAA	9	96	99	0	99	99	93
B	»ATRAZINE DF	1.00	LAA	9						
C	»ARMEZON PRO 5.	0.585	LAA	12						
D	»ATRAZINE DF	0.50	LAA	12						
E	»RNDUP POWERMAX	1.125	LAA	12						
F	»PREFERENCE	0.25	PMV	12						
G	»LIQUID AMS	2.50	PMV	12						
4A	»ARMEZON PRO 5.	0.585	LAA	9	96	99	0	99	99	98
B	»ATRAZINE DF	1.00	LAA	9						
C	»STATUS 56DG	0.175	LAA	12						
D	»RNDUP POWERMAX	1.125	LAA	12						
E	»PREFERENCE	0.25	PMV	12						
F	»LIQUID AMS	2.50	PMV	12						
5A	»ARMEZON PRO 5.	0.585	LAA	9	98	99	0	99	99	92
B	»ATRAZINE DF	1.00	LAA	9						
C	»ARMEZON PRO 5.	0.585	LAA	11						
D	»ATRAZINE DF	0.50	LAA	11						
E	»RNDUP POWERMAX	1.125	LAA	11						
F	»PREFERENCE	0.25	PMV	11						
G	»LIQUID AMS	2.50	PMV	11						
6A	»SURESTART II 4	0.91	LAA	9	98	99	0	99	99	94
B	»RESICORE 3.29S	1.028	LAA	11						
C	»RNDUP POWERMAX	1.125	LAA	11						
D	»PREFERENCE	0.25	PMV	11						
E	»LIQUID AMS	2.50	PMV	11						
7A	»RESICORE 3.29S	1.028	LAA	9	98	99	0	99	99	95
B	»RESICORE 3.29S	1.028	LAA	11						
C	»RNDUP POWERMAX	1.125	LAA	11						
D	»PREFERENCE	0.25	PMV	11						
E	»LIQUID AMS	2.50	PMV	11						
8A	»ANTHEM ATZ 4.5	1.125	LAA	9	99	99	0	98	99	97
B	»CALLISTO 4SC	0.094	LAA	11						
C	»ATRAZINE DF	0.50	LAA	11						
D	»RNDUP POWERMAX	1.125	LAA	11						
E	»PREFERENCE	0.25	PMV	11						
F	»LIQUID AMS	2.50	PMV	11						
9A	CHECK	0.00	NA	0	0	0	0	0	0	0
10A	»VERDICT 5.57L	0.696	LAA	9	95	99	0	99	99	97
B	»STATUS 56DG	0.175	LAA	12						
C	»RNDUP POWERMAX	1.125	LAA	12						
D	»PREFERENCE	0.25	PMV	12						
E	»LIQUID AMS	2.50	PMV	12						
11A	»VERDICT 5.57L	0.435	LAA	9	96	99	0	99	99	99
B	»STATUS 56DG	0.175	LAA	12						
C	»ZIDUA SC 4.17	0.053	LAA	12						
D	»RNDUP POWERMAX	1.125	LAA	12						
E	»PREFERENCE	0.25	PMV	12						
F	»LIQUID AMS	2.50	PMV	12						

**TRIAL # US 106/17/01 003 01 : UCBASFSYS C-500
DATA MEAN**

TITLE: Armezon Pro for Weed Control Systems in RR/LL Corn. C-500

TRT NUM	TREATMENT COMPONENT	DOSAGE			PHBPU	AMATA	ZEAMD	SETFA	AMBEL	PHBPU
		RATE	UNIT	TM	CON % 06/05/17	CON % 06/05/17	CON % 06/18/17	CON % 06/18/17	CON % 06/18/17	CON % 06/18/17
12A	»ACURON 3.44 ZC	1.29	LAA	9	99	99	0	99	99	95
	B»HALEX GT 4.38L	1.97	LAA	11						
	C ATRAZINE DF	0.50	LAA	11						
	D»RNDUP POWERMAX	1.1125	LAA	11						
	E»PREFERENCE	0.25	PMV	11						
	F»LIQUID AMS	2.50	PMV	11						
		LSD (0.05)			2.4	0.0	0.0	0.6	0.0	4.8
		STANDARD DEVIATION			1.1	0.0	0.0	0.3	0.0	2.3

**TRIAL # US 106/17/01 003 01 : UCBAFSYS C-500
DATA MEAN**

TITLE: Armezon Pro for Weed Control Systems in RR/LL Corn. C-500
CREATED: 04/18/2017 **REVISED:** 08/23/2017 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 35.00 FT LONG
PLOT AREA: 262.50 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	AMATA	ZEAMD	SETFA	AMBEL	PHBPU	AMATA
		RATE	UNIT		CON % 06/18/17	CON % 06/26/17	CON % 06/26/17	CON % 06/26/17	CON % 06/26/17	CON % 06/26/17
1A»	VERDICT 5.57L	0.435	LAA	9	99	0	99	99	80	99
B»	ARMEZON PRO 5.	0.67	LAA	11						
C	ATRAZINE DF	0.50	LAA	11						
D»	RNDUP POWERMAX	1.125	LAA	11						
E»	PREFERENCE	0.25	PMV	11						
F»	LIQUID AMS	2.50	PMV	11						
2A»	VERDICT 5.57L	0.435	LAA	9	99	0	99	99	92	99
B»	STATUS 56DG	0.175	LAA	12						
C»	RNDUP POWERMAX	1.125	LAA	12						
D»	PREFERENCE	0.25	PMV	12						
E»	LIQUID AMS	2.50	PMV	12						
3A»	ZIDUA SC 4.17	0.108	LAA	9	99	0	99	99	89	99
B	ATRAZINE DF	1.00	LAA	9						
C»	ARMEZON PRO 5.	0.585	LAA	12						
D	ATRAZINE DF	0.50	LAA	12						
E»	RNDUP POWERMAX	1.125	LAA	12						
F»	PREFERENCE	0.25	PMV	12						
G»	LIQUID AMS	2.50	PMV	12						
4A»	ARMEZON PRO 5.	0.585	LAA	9	99	0	99	99	95	99
B	ATRAZINE DF	1.00	LAA	9						
C»	STATUS 56DG	0.175	LAA	12						
D»	RNDUP POWERMAX	1.125	LAA	12						
E»	PREFERENCE	0.25	PMV	12						
F»	LIQUID AMS	2.50	PMV	12						
5A»	ARMEZON PRO 5.	0.585	LAA	9	99	0	99	99	87	99
B	ATRAZINE DF	1.00	LAA	9						
C»	ARMEZON PRO 5.	0.585	LAA	11						
D	ATRAZINE DF	0.50	LAA	11						
E»	RNDUP POWERMAX	1.125	LAA	11						
F»	PREFERENCE	0.25	PMV	11						
G»	LIQUID AMS	2.50	PMV	11						
6A»	SURESTART II 4	0.91	LAA	9	99	0	99	99	91	99
B»	RESICORE 3.29S	1.028	LAA	11						
C»	RNDUP POWERMAX	1.125	LAA	11						
D»	PREFERENCE	0.25	PMV	11						
E»	LIQUID AMS	2.50	PMV	11						
7A»	RESICORE 3.29S	1.028	LAA	9	99	0	99	99	89	99
B»	RESICORE 3.29S	1.028	LAA	11						
C»	RNDUP POWERMAX	1.125	LAA	11						
D»	PREFERENCE	0.25	PMV	11						
E»	LIQUID AMS	2.50	PMV	11						
8A»	ANTHEM ATZ 4.5	1.125	LAA	9	99	0	99	99	95	99
B	CALLISTO 4SC	0.094	LAA	11						
C	ATRAZINE DF	0.50	LAA	11						
D»	RNDUP POWERMAX	1.125	LAA	11						
E»	PREFERENCE	0.25	PMV	11						
F»	LIQUID AMS	2.50	PMV	11						
9A	CHECK	0.00	NA	0	0	0	0	0	0	0
10A»	VERDICT 5.57L	0.696	LAA	9	99	0	99	99	94	99
B»	STATUS 56DG	0.175	LAA	12						
C»	RNDUP POWERMAX	1.125	LAA	12						
D»	PREFERENCE	0.25	PMV	12						
E»	LIQUID AMS	2.50	PMV	12						
11A»	VERDICT 5.57L	0.435	LAA	9	99	0	99	99	99	99
B»	STATUS 56DG	0.175	LAA	12						
C»	ZIDUA SC 4.17	0.053	LAA	12						
D»	RNDUP POWERMAX	1.125	LAA	12						
E»	PREFERENCE	0.25	PMV	12						
F»	LIQUID AMS	2.50	PMV	12						

TRIAL # US 106/17/01 003 01 : UCBAFSYS C-500
DATA MEAN

TITLE: Armezon Pro for Weed Control Systems in RR/LL Corn. C-500

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	AMATA	ZEAMD	SETFA	AMBEL	PHBPU	AMATA
		RATE	UNIT		CON % 06/18/17	CON % 06/26/17	CON % 06/26/17	CON % 06/26/17	CON % 06/26/17	CON % 06/26/17
12A	»ACURON 3.44 ZC	1.29	LAA	9	99	0	99	99	92	99
	B»HALEX GT 4.38L	1.97	LAA	11						
	C ATRAZINE DF	0.50	LAA	11						
	D»RNDUP POWERMAX	1.1125	LAA	11						
	E»PREFERENCE	0.25	PMV	11						
	F»LIQUID AMS	2.50	PMV	11						
		LSD (0.05)			0.0	0.0	0.0	0.0	4.8	0.0
		STANDARD DEVIATION			0.0	0.0	0.0	0.0	2.3	0.0

» = SUPPLEMENTAL CHEMICAL

* TIMING CODES

00 = --- / UNTREATED TIMING
 09 = --- / PREEMERGENCE 04/21/2017(1)
 11 = --- / EPOST 05/22/2017(2)
 12 = --- / POST 05/30/2017(3)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTR	SS	NOTE
001	ZEAMD	CON %	05/22/2017	01	P	ZEAMD	13	RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
002	SETFA	CON %	05/22/2017	02	P	SETFA	11	RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
003	AMBEL	CON %	05/22/2017	03	P	AMBEL	10	RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
004	PHBPU	CON %	05/22/2017	04	P	PHBPU	11	RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
005	ZEAMD	CON %	05/30/2017	01	P	ZEAMD	15	RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
006	SETFA	CON %	05/30/2017	02	P	SETFA	13	RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
007	AMBEL	CON %	05/30/2017	03	P	AMBEL	16	RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
008	PHBPU	CON %	05/30/2017	04	P	PHBPU	14	RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
009	AMATA	CON %	05/30/2017	05	P	AMATA	13	RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
010	ZEAMD	CON %	06/05/2017	01	P	ZEAMD		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
011	SETFA	CON %	06/05/2017	02	P	SETFA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
012	AMBEL	CON %	06/05/2017	03	P	AMBEL		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
013	PHBPU	CON %	06/05/2017	04	P	PHBPU		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
014	AMATA	CON %	06/05/2017	05	P	AMATA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
015	ZEAMD	CON %	06/18/2017	01	P	ZEAMD		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
016	SETFA	CON %	06/18/2017	02	P	SETFA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
017	AMBEL	CON %	06/18/2017	03	P	AMBEL		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
018	PHBPU	CON %	06/18/2017	04	P	PHBPU		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
019	AMATA	CON %	06/18/2017	05	P	AMATA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
020	ZEAMD	CON %	06/26/2017	01	P	ZEAMD		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
021	SETFA	CON %	06/26/2017	02	P	SETFA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
022	AMBEL	CON %	06/26/2017	03	P	AMBEL		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
023	PHBPU	CON %	06/26/2017	04	P	PHBPU		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
024	AMATA	CON %	06/26/2017	05	P	AMATA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)

01 = G10T63-3122 E-Z

* STAGE CODE

10 = 1ST LEAF EMERGED; COTYLEDONS UNFOLDED
 11 = FIRST LEAF UNFOLDED
 11 = 1ST TRUE LEAF/LEAF PAIR/WHORL UNFOLDED
 13 = 3 LEAVES UNFOLDED
 13 = 3 LEAVES UNFOLDED
 13 = 3RD TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 15 = 5 LEAVES UNFOLDED
 16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED