

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL
PH: 6.3
%OM: 3.4
PREV.CROP: GLXMA - SOYBEAN
%RESIDUE: 0
PLOT WIDTH: 7.5 X 35 FEET
PLOT AREA: 262.5 FEET

DESIGN: RCB
REPS: 3

APPL. NUMBER	01	02	03	UNIT
TIMINGS	09	11	12	
TYPE	LIQUID MI	LIQUID MI	LIQUID MI	
APPLICATION DATE	04/21/17	05/30/17	06/05/17	AME
TIME - BEGIN	10:20	09:00	09:25	24H
TIME - END	10:30	09:15	09:35	24H
AIR TEMPERATURE	53	64	79	F
% REL.HUMIDITY	61	43	62	
WIND DIRECTION	NORTH	WEST	NORTHWEST	
WIND SPEED	7.0	6.0	3.0	M/H
CLOUD COVER	OVERCAST-	CLEAR-0%	CLEAR-0%	
DEW	TO BE SEL	NO	NO	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	DRY/ DRY	
SOIL CONDITION	TO BE SEL	TO BE SEL	TO BE SEL	
SOIL TEMP/DEPTH	59/4.00	69/4.00	76/4.00	F/IN
METHOD	SPRAY	SPRAY	SPRAY	
EQUIPMENT	BACKPACK/	BACKPACK/	BACKPACK/	
PROPELLANT	COMPRESSE	COMPRESSE	COMPRESSE	
PLACEMENT	BROADCAST	BROADCAST	BROADCAST	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	
NOZZLE DESCRIPTION				
NOZZLE VOLUME	0.00	0.00	0.00	GPM
NOZZLE NUMBER	5	5	5	
NOZZLE SPACING	18.000	18.000	18.000	IN
SCREEN SIZE				
SCREEN SZ DESC	NA	NA	NA	
SWATH WIDTH	7.5	7.5	7.5	FT
BOOM HEIGHT	20.0	20.0	20.0	IN
SPEED	3.00	3.00	3.00	M/H
MIX SIZE	0.380	0.380	0.380	
MIX SIZE UNIT	GAL	GAL	GAL	
SPRAY VOLUME	20.00	20.00	20.00	
SPRAY VOLUME UNIT	GPA	GPA	GPA	
PRESSURE	32.00	32.00	32.00	PSI
DILUENT	WATER	WATER	WATER	
INC. DATE				AME
INC. START				24H
INC. END				24H
INC. DEPTH				IN
INC. EQUIPMENT	TO BE SEL	TO BE SEL	TO BE SEL	
FOLIAGE HEIGHT				FT
FOLIAGE WIDTH				FT
ROW WIDTH				FT
SPRAY VOL LWA/TRV				
S VOL LWA/TRV UNIT				
LEAF WALL AREA				M2H
TREE ROW VOLUME				M3H
SPECIE AND STAGE	DEN / STG MIN / MAX	DEN / STG MIN / MAX	DEN / STG MIN / MAX	
CROP *				
P, CORN, DENT G10T63-3122 E-Z (PLANTED) 04/20/2017		---/14 8.00/8.00 40 DAP	---/16 9.00/13.0 46 DAP	IN
PEST *				
P, VELVETLEAF		---/12 0.50/1.00	---/12 0.50/0.50	IN
P, WATERHEMP, COMMO		---/14 1.00/1.00		IN
P, RAGWEED, COMMON		---/16 3.00/3.00	---/18 4.00/4.00	IN

*** CONTINUE

TRIAL # US 110/17/01 003 01 : UCAMVAC* C-500
APPLICATIONS

SPECIE AND STAGE	DEN / STG	DEN / STG	DEN / STG	
	MIN / MAX	MIN / MAX	MIN / MAX	
PEST * P, MORNINGGLORY, TA		---/14	---/16	IN
		2.00/2.00	0.50/5.00	
P, FOXTAIL, GIANT		---/13	---/13	IN
		1.00/2.00	2.00/2.00	

* TIMING CODES

09 = --- / PREEMERGENCE
 11 = --- / EPOST
 12 = --- / POST

* STAGE CODE

12 = 2ND TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 13 = 3 LEAVES UNFOLDED
 14 = 4 LEAVES UNFOLDED
 14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 16 = 6 LEAVES UNFOLDED
 18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TRIAL # US 110/17/01 003 01 : UCAMVAC* C-500
DATA MEAN

TITLE: AMVAC ImpactZ Programs in RR/LL Corn. C-500
 CREATED: 04/18/2017 REVISED: 02/20/2018 COMPLETED: N
 PROJECT TYPE: HERBICIDE
 LOCATION: Urbana RESEARCHED BY: UNIV. OF ILL
 DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
 PLOT SIZE: 7.50 FT WIDE X 35.00 FT LONG
 PLOT AREA: 262.50 SFT

REPS: 03

TRT	TREATMENT	DOSAGE			ZEAMD	SETFA	AMATA	AMATA	ABUTH	PHBPU
NUM	COMPONENT	RATE	UNIT	TM	CON %	CON %	CON %	CON %	CON %	CON %
					06/05/17	06/05/17	06/05/17	06/05/17	06/05/17	06/05/17
1A»	HARNESS XTRA 5	2.52	LAA	9	C	C	C	C	C	C
B»	IMPACTZ 4.26SC	0.266	LAA	12						
C»	MISO	1.00	PMV	12						
D»	LIQUID AMS	2.50	PMV	12						
2A»	HARNESS XTRA 5	2.52	LAA	9	C	C	C	C	C	C
B»	IMPACTZ 4.26SC	0.266	LAA	12						
C»	RNDUP POWERMAX	1.125	LAA	12						
D»	MISO	1.00	PMV	12						
E»	LIQUID AMS	2.50	PMV	12						
3A»	HARNESS XTRA 5	2.52	LAA	9	C	C	C	C	C	C
B»	IMPACTZ 4.26SC	0.266	LAA	12						
C»	LIBERTY 2.34L	0.40	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
4A»	HARNESS XTRA 5	2.52	LAA	9	C	C	C	C	C	C
B»	IMPACTZ 4.26SC	0.266	LAA	12						
C»	STATUS 56DG	0.175	LAA	12						
D»	MISO	1.00	PMV	12						
E»	LIQUID AMS	2.50	PMV	12						
5A	CHECK	0.00	NA	0	0	0	0	0	0	0
6A»	HARNESS	1.53	LAA	11	0	97	98	99	99	89
B»	IMPACTZ 4.26SC	0.266	LAA	11						
C»	RNDUP POWERMAX	1.125	LAA	11						
D»	ACTIVATOR 90	0.25	PMV	11						
E»	LIQUID AMS	2.50	PMV	11						
7A»	ARMEZON PRO 5.	0.84	LAA	11	0	97	97	99	99	91
B	ATRAZINE DF	0.25	LAA	11						
C»	RNDUP POWERMAX	1.125	LAA	11						
D»	ACTIVATOR 90	0.25	PMV	11						
E»	LIQUID AMS	2.50	PMV	11						
8A»	HALEX GT 4.38L	1.97	LAA	11	0	90	97	99	99	94
B	ATRAZINE DF	0.25	LAA	11						
C»	ACTIVATOR 90	0.25	PMV	11						
D»	LIQUID AMS	2.50	PMV	11						
		LSD (0.05)			0.0	1.8	0.5	0.0	0.0	2.5
		STANDARD DEVIATION			0.0	0.9	0.2	0.0	0.0	1.2

TRIAL # US 110/17/01 003 01 : UCAMVAC* C-500
DATA MEAN

TITLE: AMVAC ImpactZ Programs in RR/LL Corn. C-500
 CREATED: 04/18/2017 REVISED: 02/20/2018 COMPLETED: N
 PROJECT TYPE: HERBICIDE
 LOCATION: Urbana RESEARCHED BY: UNIV. OF ILL
 DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
 PLOT SIZE: 7.50 FT WIDE X 35.00 FT LONG
 PLOT AREA: 262.50 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	AMATA	AMATA	ABUTH	PHBPU
		RATE	UNIT	TM	CON % 06/12/17	CON % 06/12/17	CON % 06/12/17	CON % 06/12/17	CON % 06/12/17	CON % 06/12/17
1A»	HARNESS XTRA 5	2.52	LAA	9	0	99	99	99	99	94
B»	IMPACTZ 4.26SC	0.266	LAA	12						
C»	MISO	1.00	PMV	12						
D»	LIQUID AMS	2.50	PMV	12						
2A»	HARNESS XTRA 5	2.52	LAA	9	0	99	97	99	99	95
B»	IMPACTZ 4.26SC	0.266	LAA	12						
C»	RNDUP POWERMAX	1.125	LAA	12						
D»	MISO	1.00	PMV	12						
E»	LIQUID AMS	2.50	PMV	12						
3A»	HARNESS XTRA 5	2.52	LAA	9	0	99	98	99	99	97
B»	IMPACTZ 4.26SC	0.266	LAA	12						
C»	LIBERTY 2.34L	0.40	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
4A»	HARNESS XTRA 5	2.52	LAA	9	0	99	99	99	99	96
B»	IMPACTZ 4.26SC	0.266	LAA	12						
C»	STATUS 56DG	0.175	LAA	12						
D»	MISO	1.00	PMV	12						
E»	LIQUID AMS	2.50	PMV	12						
5A	CHECK	0.00	NA	0	0	0	0	0	0	0
6A»	HARNESS	1.53	LAA	11	0	97	98	99	99	88
B»	IMPACTZ 4.26SC	0.266	LAA	11						
C»	RNDUP POWERMAX	1.125	LAA	11						
D»	ACTIVATOR 90	0.25	PMV	11						
E»	LIQUID AMS	2.50	PMV	11						
7A»	ARMEZON PRO 5.	0.84	LAA	11	0	98	98	99	99	90
B	ATRAZINE DF	0.25	LAA	11						
C»	RNDUP POWERMAX	1.125	LAA	11						
D»	ACTIVATOR 90	0.25	PMV	11						
E»	LIQUID AMS	2.50	PMV	11						
8A»	HALEX GT 4.38L	1.97	LAA	11	0	96	99	99	99	93
B	ATRAZINE DF	0.25	LAA	11						
C»	ACTIVATOR 90	0.25	PMV	11						
D»	LIQUID AMS	2.50	PMV	11						
LSD (0.05)					0.0	1.8	1.8	0.0	0.0	2.9
STANDARD DEVIATION					0.0	0.8	0.8	0.0	0.0	1.4

**TRIAL # US 110/17/01 003 01 : UCAMVAC* C-500
DATA MEAN**

TITLE: AMVAC ImpactZ Programs in RR/LL Corn. C-500
CREATED: 04/18/2017 **REVISED:** 02/20/2018 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 35.00 FT LONG
PLOT AREA: 262.50 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	AMATA	AMATA	ABUTH	PHBPU
		RATE	UNIT	TM	CON % 06/18/17	CON % 06/18/17	CON % 06/18/17	CON % 06/18/17	CON % 06/18/17	CON % 06/18/17
1A»	HARNESS XTRA 5	2.52	LAA	9	0	99	99	99	99	68
B»	IMPACTZ 4.26SC	0.266	LAA	12						
C»	MISO	1.00	PMV	12						
D»	LIQUID AMS	2.50	PMV	12						
2A»	HARNESS XTRA 5	2.52	LAA	9	0	99	99	99	99	85
B»	IMPACTZ 4.26SC	0.266	LAA	12						
C»	RNDUP POWERMAX	1.125	LAA	12						
D»	MISO	1.00	PMV	12						
E»	LIQUID AMS	2.50	PMV	12						
3A»	HARNESS XTRA 5	2.52	LAA	9	0	99	99	99	99	89
B»	IMPACTZ 4.26SC	0.266	LAA	12						
C»	LIBERTY 2.34L	0.40	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
4A»	HARNESS XTRA 5	2.52	LAA	9	0	99	99	99	99	96
B»	IMPACTZ 4.26SC	0.266	LAA	12						
C»	STATUS 56DG	0.175	LAA	12						
D»	MISO	1.00	PMV	12						
E»	LIQUID AMS	2.50	PMV	12						
5A	CHECK	0.00	NA	0	0	0	0	0	0	0
6A»	HARNESS	1.53	LAA	11	0	99	99	99	99	72
B»	IMPACTZ 4.26SC	0.266	LAA	11						
C»	RNDUP POWERMAX	1.125	LAA	11						
D»	ACTIVATOR 90	0.25	PMV	11						
E»	LIQUID AMS	2.50	PMV	11						
7A»	ARMEZON PRO 5.	0.84	LAA	11	0	96	91	99	99	63
B	ATRAZINE DF	0.25	LAA	11						
C»	RNDUP POWERMAX	1.125	LAA	11						
D»	ACTIVATOR 90	0.25	PMV	11						
E»	LIQUID AMS	2.50	PMV	11						
8A»	HALEX GT 4.38L	1.97	LAA	11	0	91	97	99	99	73
B	ATRAZINE DF	0.25	LAA	11						
C»	ACTIVATOR 90	0.25	PMV	11						
D»	LIQUID AMS	2.50	PMV	11						
		LSD (0.05)			0.0	1.4	6.6	0.0	0.0	6.5
		STANDARD DEVIATION			0.0	0.6	3.1	0.0	0.0	3.0

TRIAL # US 110/17/01 003 01 : UCAMVAC* C-500
DATA MEAN

TITLE: AMVAC ImpactZ Programs in RR/LL Corn. C-500
CREATED: 04/18/2017 **REVISED:** 02/20/2018 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 35.00 FT LONG
PLOT AREA: 262.50 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	AMATA	AMATA	ABUTH	PHBPU
		RATE	UNIT	TM	CON % 06/26/17	CON % 06/26/17	CON % 06/26/17	CON % 06/26/17	CON % 06/26/17	CON % 06/26/17
1A»	HARNESS XTRA 5	2.52	LAA	9	0	99	99	99	99	68
B»	IMPACTZ 4.26SC	0.266	LAA	12						
C»	MISO	1.00	PMV	12						
D»	LIQUID AMS	2.50	PMV	12						
2A»	HARNESS XTRA 5	2.52	LAA	9	0	99	99	99	99	83
B»	IMPACTZ 4.26SC	0.266	LAA	12						
C»	RNDUP POWERMAX	1.125	LAA	12						
D»	MISO	1.00	PMV	12						
E»	LIQUID AMS	2.50	PMV	12						
3A»	HARNESS XTRA 5	2.52	LAA	9	0	99	99	99	99	84
B»	IMPACTZ 4.26SC	0.266	LAA	12						
C»	LIBERTY 2.34L	0.40	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
4A»	HARNESS XTRA 5	2.52	LAA	9	0	99	99	99	99	89
B»	IMPACTZ 4.26SC	0.266	LAA	12						
C»	STATUS 56DG	0.175	LAA	12						
D»	MISO	1.00	PMV	12						
E»	LIQUID AMS	2.50	PMV	12						
5A	CHECK	0.00	NA	0	0	0	0	0	0	0
6A»	HARNESS	1.53	LAA	11	0	99	99	99	99	65
B»	IMPACTZ 4.26SC	0.266	LAA	11						
C»	RNDUP POWERMAX	1.125	LAA	11						
D»	ACTIVATOR 90	0.25	PMV	11						
E»	LIQUID AMS	2.50	PMV	11						
7A»	ARMEZON PRO 5.	0.84	LAA	11	0	99	93	99	99	67
B	ATRAZINE DF	0.25	LAA	11						
C»	RNDUP POWERMAX	1.125	LAA	11						
D»	ACTIVATOR 90	0.25	PMV	11						
E»	LIQUID AMS	2.50	PMV	11						
8A»	HALEX GT 4.38L	1.97	LAA	11	0	99	93	99	99	62
B	ATRAZINE DF	0.25	LAA	11						
C»	ACTIVATOR 90	0.25	PMV	11						
D»	LIQUID AMS	2.50	PMV	11						
		LSD (0.05)			0.0	0.0	3.0	0.0	0.0	6.0
		STANDARD DEVIATION			0.0	0.0	1.4	0.0	0.0	2.8

TRIAL # US 110/17/01 003 01 : UCAMVAC* C-500
DATA MEAN

TITLE: AMVAC ImpactZ Programs in RR/LL Corn. C-500
 CREATED: 04/18/2017 REVISED: 02/20/2018 COMPLETED: N
 PROJECT TYPE: HERBICIDE
 LOCATION: Urbana RESEARCHED BY: UNIV. OF ILL
 DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
 PLOT SIZE: 7.50 FT WIDE X 35.00 FT LONG
 PLOT AREA: 262.50 SFT

REPS: 03

TRT TREATMENT NUM COMPONENT	DOSAGE RATE	UNIT	TM	ZEAMD CON % 07/12/17	SETFA CON % 07/12/17	AMATA CON % 07/12/17	AMATA CON % 07/12/17	ABUTH CON % 07/12/17	PHBPU CON % 07/12/17
1A»HARNESS XTRA 5	2.52	LAA	9	0	99	99	99	99	63
B»IMPACTZ 4.26SC	0.266	LAA	12						
C»MSO	1.00	PMV	12						
D»LIQUID AMS	2.50	PMV	12						
2A»HARNESS XTRA 5	2.52	LAA	9	0	99	99	99	99	80
B»IMPACTZ 4.26SC	0.266	LAA	12						
C»RNDUP POWERMAX	1.125	LAA	12						
D»MSO	1.00	PMV	12						
E»LIQUID AMS	2.50	PMV	12						
3A»HARNESS XTRA 5	2.52	LAA	9	0	99	99	99	99	83
B»IMPACTZ 4.26SC	0.266	LAA	12						
C»LIBERTY 2.34L	0.40	LAA	12						
D»LIQUID AMS	2.50	PMV	12						
4A»HARNESS XTRA 5	2.52	LAA	9	0	99	99	99	99	85
B»IMPACTZ 4.26SC	0.266	LAA	12						
C»STATUS 56DG	0.175	LAA	12						
D»MSO	1.00	PMV	12						
E»LIQUID AMS	2.50	PMV	12						
5A CHECK	0.00	NA	0	0	0	0	0	0	0
6A»HARNESS	1.53	LAA	11	0	99	99	99	99	60
B»IMPACTZ 4.26SC	0.266	LAA	11						
C»RNDUP POWERMAX	1.125	LAA	11						
D»ACTIVATOR 90	0.25	PMV	11						
E»LIQUID AMS	2.50	PMV	11						
7A»ARMEZON PRO 5.	0.84	LAA	11	0	99	87	99	98	60
B ATRAZINE DF	0.25	LAA	11						
C»RNDUP POWERMAX	1.125	LAA	11						
D»ACTIVATOR 90	0.25	PMV	11						
E»LIQUID AMS	2.50	PMV	11						
8A»HALEX GT 4.38L	1.97	LAA	11	0	97	94	99	99	53
B ATRAZINE DF	0.25	LAA	11						
C»ACTIVATOR 90	0.25	PMV	11						
D»LIQUID AMS	2.50	PMV	11						
	LSD (0.05)			0.0	1.0	4.3	0.0	0.7	10.5
	STANDARD DEVIATION			0.0	0.5	2.0	0.0	0.3	4.9

» = SUPPLEMENTAL CHEMICAL

---,M,C,D = MISSING DATA

* TIMING CODES

00 = --- / UNTREATED TIMING
 09 = --- / PREEMERGENCE 04/21/2017(1)
 11 = --- / EPOST 05/30/2017(2)
 12 = --- / POST 06/05/2017(3)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRT	SS	NOTE
001	ZEAMD	CON %	06/05/2017	01	P	ZEAMD	16	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	SETFA	CON %	06/05/2017	02	P	SETFA	13	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	AMATA	CON %	06/05/2017	03	P	AMBEL	18	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	AMATA	CON %	06/05/2017	04	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	ABUTH	CON %	06/05/2017	05	P	ABUTH	12	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	PHBPU	CON %	06/05/2017	06	P	PHBPU	16	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	ZEAMD	CON %	06/12/2017	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	SETFA	CON %	06/12/2017	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	AMATA	CON %	06/12/2017	03	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	AMATA	CON %	06/12/2017	04	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

TRIAL # US 110/17/01 003 01 : UCAMVAC* C-500
 DATA MEAN

TITLE: AMVAC ImpactZ Programs in RR/LL Corn. C-500

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTR1	SS	NOTE
011	ABUTH	CON %	06/12/2017	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	PHBPU	CON %	06/12/2017	06	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	ZEAMD	CON %	06/18/2017	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	SETFA	CON %	06/18/2017	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	AMATA	CON %	06/18/2017	03	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	AMATA	CON %	06/18/2017	04	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
017	ABUTH	CON %	06/18/2017	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
018	PHBPU	CON %	06/18/2017	06	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
019	ZEAMD	CON %	06/26/2017	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
020	SETFA	CON %	06/26/2017	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
021	AMATA	CON %	06/26/2017	03	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
022	AMATA	CON %	06/26/2017	04	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
023	ABUTH	CON %	06/26/2017	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
024	PHBPU	CON %	06/26/2017	06	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
025	ZEAMD	CON %	07/12/2017	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
026	SETFA	CON %	07/12/2017	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
027	AMATA	CON %	07/12/2017	03	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
028	AMATA	CON %	07/12/2017	04	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
029	ABUTH	CON %	07/12/2017	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
030	PHBPU	CON %	07/12/2017	06	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)

01 = G10T63-3122 E-Z

* STAGE CODE

12 = 2ND TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

13 = 3 LEAVES UNFOLDED

16 = 6 LEAVES UNFOLDED

16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED