

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIX
 PH: 6.2
 %OM: 5.6
 PREV.CROP: ZEAMD - Dent corn
 %RESIDUE: 0
 PLOT WIDTH: 7.5 X 30 FEET
 PLOT AREA: 225 FEET

DESIGN: RCB
 REPS: 3

APPL. NUMBER	01	02	UNIT
TIMINGS	09	12	
TYPE	LIQUID MI	LIQUID MI	
APPLICATION DATE	05/12/20	06/12/20	AME
TIME - BEGIN	10:50	14:10	24H
TIME - END	11:20	14:35	24H
AIR TEMPERATURE	61	84	F
% REL.HUMIDITY	33	20	
WIND DIRECTION	NORTHWEST	NORTH	
WIND SPEED	4.0	5.0	M/H
CLOUD COVER	OVERCAST-	CLEAR-0%	
DEW	TO BE SEL	NO	
SOIL MOISTURE	DRY/MOIST	DRY/ DRY	
SOIL CONDITION	TO BE SEL	TO BE SEL	
SOIL TEMP/DEPTH	50/4.00	76/4.00	F/IN
METHOD	SPRAY	SPRAY	
EQUIPMENT	BACKPACK/	BACKPACK/	
PROPELLANT	COMPRESSE	COMPRESSE	
PLACEMENT	BROADCAST	BROADCAST	
NOZZLE	FLATFAN	FLATFAN	
NOZZLE DESCRIPTION			
NOZZLE VOLUME	0.00	0.00	GPM
NOZZLE NUMBER	5	5	
NOZZLE SPACING	18.000	18.000	IN
SCREEN SIZE			
SCREEN SZ DESC	N/A	N/A	
SWATH WIDTH	7.5	7.5	FT
BOOM HEIGHT	20.0	20.0	IN
SPEED	3.00	3.00	M/H
MIX SIZE	0.330	0.330	
MIX SIZE UNIT	GAL	GAL	
SPRAY VOLUME	20.00	20.00	
SPRAY VOLUME UNIT	GPA	GPA	
PRESSURE	30.00	30.00	PSI
DILUENT	WATER	WATER	
INC. DATE			AME
INC. START			24H
INC. END			24H
INC. DEPTH			IN
INC. EQUIPMENT	TO BE SEL	TO BE SEL	
FOLIAGE HEIGHT			FT
FOLIAGE WIDTH			FT
ROW WIDTH			FT
SPRAY VOL LWA/TRV			
S VOL LWA/TRV UNIT			
LEAF WALL AREA			M2H
TREE ROW VOLUME			M3H
SPECIE AND STAGE	DEN / STG MIN / MAX	DEN / STG MIN / MAX	
CROP *			
P, Soybean AG27X9 (PLANTED) 05/11/2020		---/14 5.00/5.00 32 DAP	IN
PEST *			
P, Velvetleaf		---/15 1.00/4.00	IN
P, Lambsquarters, c		---/17 1.00/2.00	IN
P, Morningglory, iv		---/13 2.00/3.00	IN

*** CONTINUE

SPECIE AND STAGE	DEN / STG	DEN / STG	
	MIN / MAX	MIN / MAX	
PEST * P, Giant foxtail		---/13 3.00/4.00	IN

* TIMING CODES

09 = --- / PREEMERGENCE
12 = --- / POST

* STAGE CODE

13 = 3 LEAVES UNFOLDED
13 = 3RD TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
14 = TRIFOLIOLATE LEAF ON THE 4TH NODE UNFOLDED
15 = 5TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
17 = 7TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: Weed Control Systems in RR2Y Xtend Soybean.
CREATED: 05/06/2020 **REVISED:** 10/21/2020 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Monmouth **RESEARCHED BY:**
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT	TREATMENT	DOSAGE		GLXMA	SETFA	CHEAL	ABUTH	IPOHE	GLXMA	
NUM	COMPONENT	RATE	UNIT	TM	CON %	CON %	CON %	CON %	CON %	
					06/12/20	06/12/20	06/12/20	06/12/20	06/24/20	
1A	BOUNDARY 6.5EC	2.00	PMA	9	0	86	99	89	45	2
	B>TAVIUM 3.39AE	3.53	PMA	12						
	C>RNDUP POWERMAX	32.00	ZMA	12						
	D>CLASS ACT RIDI	1.00	PMV	12						
	E>INTACT	0.50	PMV	12						
2A	PREFIX 5.29EC	2.00	PMA	9	0	95	96	96	56	3
	B>METRIBUZIN 75D	6.00	OMA	9						
	C>TAVIUM 3.39AE	3.53	PMA	12						
	D>RNDUP POWERMAX	32.00	ZMA	12						
	E>CLASS ACT RIDI	1.00	PMV	12						
	F>INTACT	0.50	PMV	12						
3A	BOUNDARY 6.5EC	2.00	PMA	9	0	98	99	99	43	10
	B>TAVIUM 3.39AE	3.53	PMA	12						
	C FLEXSTAR 1.88	1.25	PMA	12						
	D>RNDUP POWERMAX	32.00	ZMA	12						
	E>CLASS ACT RIDI	1.00	PMV	12						
	F>INTACT	0.50	PMV	12						
4A	TAVIUM 3.39AE	3.53	PMA	9	0	98	99	99	63	7
	B>METRIBUZIN 75D	6.00	OMA	9						
	C>PREFIX 5.29EC	2.00	PMA	12						
	D>XTENDIMAX 2.9	22.00	ZMA	12						
	E>RNDUP POWERMAX	32.00	ZMA	12						
	F>CLASS ACT RIDI	1.00	PMV	12						
	G>INTACT	0.50	PMV	12						
5A	FIERCENTZ 2.64	16.00	ZMA	9	0	98	99	99	75	1
	B>XTENDIMAX 2.9	22.00	ZMA	12						
	C>RNDUP POWERMAX	32.00	ZMA	12						
	D>CLASS ACT RIDI	1.00	PMV	12						
	E>INTACT	0.50	PMV	12						
6A	ZIDUA PRO 4.09	6.00	ZMA	9	0	99	99	99	91	0
	B>XTENDIMAX 2.9	22.00	ZMA	12						
	C>RNDUP POWERMAX	32.00	ZMA	12						
	D>CLASS ACT RIDI	1.00	PMV	12						
	E>INTACT	0.50	PMV	12						
7A	AUTHORITY MTZ	11.00	OMA	9	0	77	99	99	75	1
	B>XTENDIMAX 2.9	22.00	ZMA	12						
	C>RNDUP POWERMAX	32.00	ZMA	12						
	D>CLASS ACT RIDI	1.00	PMV	12						
	E>INTACT	0.50	PMV	12						
8A	FIERCE EZ 3.04	6.00	ZMA	9	0	98	99	99	78	6
	B>XTENDIMAX 2.9	22.00	ZMA	12						
	C>RNDUP POWERMAX	32.00	ZMA	12						
	D>PERPETUO 2.3L	6.00	ZMA	12						
	E>CLASS ACT RIDI	1.00	PMV	12						
	F>INTACT	0.50	PMV	12						
9A	AUTHOR. SUPREM	6.40	ZMA	9	0	98	99	96	63	5
	B>XTENDIMAX 2.9	22.00	ZMA	12						
	C>RNDUP POWERMAX	32.00	ZMA	12						
	D>ANTHEM MAXX 4.	2.50	ZMA	12						
	E>CLASS ACT RIDI	1.00	PMV	12						
	F>INTACT	0.50	PMV	12						
10A	WARRANT ULTRA	50.00	ZMA	9	0	98	99	99	15	1
	B>XTENDIMAX 2.9	22.00	ZMA	12						
	C>RNDUP POWERMAX	32.00	ZMA	12						
	D>WARRANT 3L	1.50	QMA	12						
	E>CLASS ACT RIDI	1.00	PMV	12						
	F>INTACT	0.50	PMV	12						

TITLE: Weed Control Systems in RR2Y Xtend Soybean.

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	GLXMA	SETFA	CHEAL	ABUTH	IPOHE	GLXMA
		RATE	UNIT		CON % 06/12/20	CON % 06/12/20	CON % 06/12/20	CON % 06/12/20	CON % 06/12/20	CON % 06/24/20
11A	TRIVENCE 61.3W	8.00	OMA	0	0	98	99	99	95	4
	B>VALOR 51WDG	0.064	LAA	9						
	C CLASSIC 25WG	0.0195	LAA	9						
	D>METRIBUZIN 75D	0.223	LAA	9						
	E>ABUNDIT EDGE 4	32.00	ZMA	12						
	F>FEXAPAN 2.9AE	22.00	ZMA	12						
	G>EVERPREX 7.62E	1.00	PMA	12						
	H>CLASS ACT RIDI	1.00	PMV	12						
	I>INTACT	0.50	PMV	12						
12A	TRIVENCE 61.3W	8.00	OMA	0	0	99	99	99	95	8
	B>VALOR 51WDG	0.064	LAA	9						
	C CLASSIC 25WG	0.0195	LAA	9						
	D>METRIBUZIN 75D	0.223	LAA	9						
	E>DURANGO 4AE	32.00	ZMA	12						
	F FLEXSTAR 1.88	1.30	PMA	12						
	G>EVERPREX 7.62E	1.00	PMA	12						
	H>LIQUID AMS	2.50	PMV	12						
13A	CHECK	0.00	NA	0	0	0	0	0	0	0
14A	PANTHER PRO 4.	10.00	ZMA	9	0	96	99	99	92	3
	B>CREDIT XTREME	32.00	ZMA	12						
	C>XTENDIMAX 2.9	22.00	ZMA	12						
	D>WARRANT 3L	1.50	QMA	12						
	E>CLASS ACT RIDI	1.00	PMV	12						
	F>INTACT	0.50	PMV	12						
15A	RNDUP POWERMAX	32.00	ZMA	12	0	0	0	0	0	3
	B>XTENDIMAX 2.9	22.00	ZMA	12						
	C>WARRANT 3L	1.50	QMA	12						
	D>CLASS ACT RIDI	1.00	PMV	12						
	E>INTACT	0.50	PMV	12						
16A	TAVIUM 3.39AE	3.53	PMA	12	0	0	0	0	0	4
	B>RNDUP POWERMAX	26.00	ZMA	12						
	C>CLASS ACT RIDI	1.00	PMV	12						
	D>INTACT	0.50	PMV	12						
		LSD (0.05)			0.0	11.7	2.2	7.6	32.4	2.4
		STANDARD DEVIATION			0.0	5.7	1.1	3.7	15.9	1.2

TITLE: Weed Control Systems in RR2Y Xtend Soybean.
CREATED: 05/06/2020 **REVISED:** 10/21/2020 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Monmouth **RESEARCHED BY:**
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT	TREATMENT	DOSAGE			SETFA	CHEAL	ABUTH	IPOHE	GLXMA	SETFA
NUM	COMPONENT	RATE	UNIT	TM	CON %	CON %	CON %	CON %	CON %	CON %
					06/24/20	06/24/20	06/24/20	06/24/20	07/14/20	07/14/20
1A	BOUNDARY 6.5EC	2.00	PMA	9	98	99	99	91	0	98
	B>TAVIUM 3.39AE	3.53	PMA	12						
	C>RNDUP POWERMAX	32.00	ZMA	12						
	D>CLASS ACT RIDI	1.00	PMV	12						
	E>INTACT	0.50	PMV	12						
2A	PREFIX 5.29EC	2.00	PMA	9	99	99	99	94	0	98
	B>METRIBUZIN 75D	6.00	OMA	9						
	C>TAVIUM 3.39AE	3.53	PMA	12						
	D>RNDUP POWERMAX	32.00	ZMA	12						
	E>CLASS ACT RIDI	1.00	PMV	12						
	F>INTACT	0.50	PMV	12						
3A	BOUNDARY 6.5EC	2.00	PMA	9	99	99	97	96	0	99
	B>TAVIUM 3.39AE	3.53	PMA	12						
	C FLEXSTAR 1.88	1.25	PMA	12						
	D>RNDUP POWERMAX	32.00	ZMA	12						
	E>CLASS ACT RIDI	1.00	PMV	12						
	F>INTACT	0.50	PMV	12						
4A	TAVIUM 3.39AE	3.53	PMA	9	99	99	98	97	0	98
	B>METRIBUZIN 75D	6.00	OMA	9						
	C>PREFIX 5.29EC	2.00	PMA	12						
	D>XTENDIMAX 2.9	22.00	ZMA	12						
	E>RNDUP POWERMAX	32.00	ZMA	12						
	F>CLASS ACT RIDI	1.00	PMV	12						
	G>INTACT	0.50	PMV	12						
5A	FIERCENTZ 2.64	16.00	ZMA	9	99	99	99	95	0	99
	B>XTENDIMAX 2.9	22.00	ZMA	12						
	C>RNDUP POWERMAX	32.00	ZMA	12						
	D>CLASS ACT RIDI	1.00	PMV	12						
	E>INTACT	0.50	PMV	12						
6A	ZIDUA PRO 4.09	6.00	ZMA	9	99	99	99	95	0	99
	B>XTENDIMAX 2.9	22.00	ZMA	12						
	C>RNDUP POWERMAX	32.00	ZMA	12						
	D>CLASS ACT RIDI	1.00	PMV	12						
	E>INTACT	0.50	PMV	12						
7A	AUTHORITY MTZ	11.00	OMA	9	98	99	99	93	0	97
	B>XTENDIMAX 2.9	22.00	ZMA	12						
	C>RNDUP POWERMAX	32.00	ZMA	12						
	D>CLASS ACT RIDI	1.00	PMV	12						
	E>INTACT	0.50	PMV	12						
8A	FIERCE EZ 3.04	6.00	ZMA	9	98	99	99	91	0	99
	B>XTENDIMAX 2.9	22.00	ZMA	12						
	C>RNDUP POWERMAX	32.00	ZMA	12						
	D>PERPETUO 2.3L	6.00	ZMA	12						
	E>CLASS ACT RIDI	1.00	PMV	12						
	F>INTACT	0.50	PMV	12						
9A	AUTHOR. SUPREM	6.40	ZMA	9	98	99	99	93	0	99
	B>XTENDIMAX 2.9	22.00	ZMA	12						
	C>RNDUP POWERMAX	32.00	ZMA	12						
	D>ANTHEM MAXX 4.	2.50	ZMA	12						
	E>CLASS ACT RIDI	1.00	PMV	12						
	F>INTACT	0.50	PMV	12						
10A	WARRANT ULTRA	50.00	ZMA	9	98	99	99	93	0	99
	B>XTENDIMAX 2.9	22.00	ZMA	12						
	C>RNDUP POWERMAX	32.00	ZMA	12						
	D>WARRANT 3L	1.50	QMA	12						
	E>CLASS ACT RIDI	1.00	PMV	12						
	F>INTACT	0.50	PMV	12						

TITLE: Weed Control Systems in RR2Y Xtend Soybean.

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	SETFA	CHEAL	ABUTH	IPOHE	GLXMA	SETFA
		RATE	UNIT		CON % 06/24/20	CON % 06/24/20	CON % 06/24/20	CON % 06/24/20	CON % 07/14/20	CON % 07/14/20
11A	TRIVENCE 61.3W	8.00	OMA	0	98	99	99	95	0	98
	B>VALOR 51WDG	0.064	LAA	9						
	C CLASSIC 25WG	0.0195	LAA	9						
	D>METRIBUZIN 75D	0.223	LAA	9						
	E>ABUNDIT EDGE 4	32.00	ZMA	12						
	F>FEXAPAN 2.9AE	22.00	ZMA	12						
	G>EVERPREX 7.62E	1.00	PMA	12						
	H>CLASS ACT RIDI	1.00	PMV	12						
	I>INTACT	0.50	PMV	12						
12A	TRIVENCE 61.3W	8.00	OMA	0	99	99	99	93	0	98
	B>VALOR 51WDG	0.064	LAA	9						
	C CLASSIC 25WG	0.0195	LAA	9						
	D>METRIBUZIN 75D	0.223	LAA	9						
	E>DURANGO 4AE	32.00	ZMA	12						
	F FLEXSTAR 1.88	1.30	PMA	12						
	G>EVERPREX 7.62E	1.00	PMA	12						
	H>LIQUID AMS	2.50	PMV	12						
13A	CHECK	0.00	NA	0	0	0	0	0	0	0
14A	PANTHER PRO 4.	10.00	ZMA	9	98	99	99	95	0	96
	B>CREDIT XTREME	32.00	ZMA	12						
	C>XTENDIMAX 2.9	22.00	ZMA	12						
	D>WARRANT 3L	1.50	QMA	12						
	E>CLASS ACT RIDI	1.00	PMV	12						
	F>INTACT	0.50	PMV	12						
15A	RNDUP POWERMAX	32.00	ZMA	12	96	99	98	88	0	94
	B>XTENDIMAX 2.9	22.00	ZMA	12						
	C>WARRANT 3L	1.50	QMA	12						
	D>CLASS ACT RIDI	1.00	PMV	12						
	E>INTACT	0.50	PMV	12						
16A	TAVIUM 3.39AE	3.53	PMA	12	98	99	99	95	0	98
	B>RNDUP POWERMAX	26.00	ZMA	12						
	C>CLASS ACT RIDI	1.00	PMV	12						
	D>INTACT	0.50	PMV	12						
		LSD (0.05)			1.8	0.0	1.4	4.8	0.0	3.4
		STANDARD DEVIATION			0.9	0.0	0.7	2.3	0.0	1.7

TITLE: Weed Control Systems in RR2Y Xtend Soybean.
CREATED: 05/06/2020 **REVISED:** 10/21/2020 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Monmouth **RESEARCHED BY:**
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT	TREATMENT	DOSAGE			CHEAL	ABUTH	IPOHE	GLXMA
NUM	COMPONENT	RATE	UNIT	TM	CON %	CON %	CON %	BU/A
					07/14/20	07/14/20	07/14/20	10/14/20
1A	BOUNDARY 6.5EC	2.00	PMA	9	99	99	89	61.3
B	TAVIUM 3.39AE	3.53	PMA	12				
C	RNDUP POWERMAX	32.00	ZMA	12				
D	CLASS ACT RIDI	1.00	PMV	12				
E	INTACT	0.50	PMV	12				
2A	PREFIX 5.29EC	2.00	PMA	9	99	99	93	67.2
B	METRIBUZIN 75D	6.00	OMA	9				
C	TAVIUM 3.39AE	3.53	PMA	12				
D	RNDUP POWERMAX	32.00	ZMA	12				
E	CLASS ACT RIDI	1.00	PMV	12				
F	INTACT	0.50	PMV	12				
3A	BOUNDARY 6.5EC	2.00	PMA	9	99	99	96	67.8
B	TAVIUM 3.39AE	3.53	PMA	12				
C	FLEXSTAR 1.88	1.25	PMA	12				
D	RNDUP POWERMAX	32.00	ZMA	12				
E	CLASS ACT RIDI	1.00	PMV	12				
F	INTACT	0.50	PMV	12				
4A	TAVIUM 3.39AE	3.53	PMA	9	99	99	94	61.5
B	METRIBUZIN 75D	6.00	OMA	9				
C	PREFIX 5.29EC	2.00	PMA	12				
D	XTENDIMAX 2.9	22.00	ZMA	12				
E	RNDUP POWERMAX	32.00	ZMA	12				
F	CLASS ACT RIDI	1.00	PMV	12				
G	INTACT	0.50	PMV	12				
5A	FIERCENTZ 2.64	16.00	ZMA	9	99	99	94	67.6
B	XTENDIMAX 2.9	22.00	ZMA	12				
C	RNDUP POWERMAX	32.00	ZMA	12				
D	CLASS ACT RIDI	1.00	PMV	12				
E	INTACT	0.50	PMV	12				
6A	ZIDUA PRO 4.09	6.00	ZMA	9	99	99	95	64.8
B	XTENDIMAX 2.9	22.00	ZMA	12				
C	RNDUP POWERMAX	32.00	ZMA	12				
D	CLASS ACT RIDI	1.00	PMV	12				
E	INTACT	0.50	PMV	12				
7A	AUTHORITY MTZ	11.00	OMA	9	99	99	93	63.4
B	XTENDIMAX 2.9	22.00	ZMA	12				
C	RNDUP POWERMAX	32.00	ZMA	12				
D	CLASS ACT RIDI	1.00	PMV	12				
E	INTACT	0.50	PMV	12				
8A	FIERCE EZ 3.04	6.00	ZMA	9	99	99	93	66.4
B	XTENDIMAX 2.9	22.00	ZMA	12				
C	RNDUP POWERMAX	32.00	ZMA	12				
D	PERPETUO 2.3L	6.00	ZMA	12				
E	CLASS ACT RIDI	1.00	PMV	12				
F	INTACT	0.50	PMV	12				
9A	AUTHOR. SUPREM	6.40	ZMA	9	99	99	95	65.7
B	XTENDIMAX 2.9	22.00	ZMA	12				
C	RNDUP POWERMAX	32.00	ZMA	12				
D	ANTHEM MAXX 4.	2.50	ZMA	12				
E	CLASS ACT RIDI	1.00	PMV	12				
F	INTACT	0.50	PMV	12				
10A	WARRANT ULTRA	50.00	ZMA	9	99	98	93	69.7
B	XTENDIMAX 2.9	22.00	ZMA	12				
C	RNDUP POWERMAX	32.00	ZMA	12				
D	WARRANT 3L	1.50	QMA	12				
E	CLASS ACT RIDI	1.00	PMV	12				
F	INTACT	0.50	PMV	12				

TITLE: Weed Control Systems in RR2Y Xtend Soybean.

TRT NUM	TREATMENT COMPONENT	DOSAGE RATE	UNIT	TM	CHEAL CON % 07/14/20	ABUTH CON % 07/14/20	IPOHE CON % 07/14/20	GLXMA BU/A 10/14/20
11A	TRIVENCE 61.3W	8.00	OMA	0	99	99	94	64.8
	B>>VALOR 51WDG	0.064	LAA	9				
	C CLASSIC 25WG	0.0195	LAA	9				
	D>>METRIBUZIN 75D	0.223	LAA	9				
	E>>ABUNDIT EDGE 4	32.00	ZMA	12				
	F>>FEXAPAN 2.9AE	22.00	ZMA	12				
	G>>EVERPREX 7.62E	1.00	PMA	12				
	H>>CLASS ACT RIDI	1.00	PMV	12				
	I>>INTACT	0.50	PMV	12				
12A	TRIVENCE 61.3W	8.00	OMA	0	99	99	94	65.5
	B>>VALOR 51WDG	0.064	LAA	9				
	C CLASSIC 25WG	0.0195	LAA	9				
	D>>METRIBUZIN 75D	0.223	LAA	9				
	E>>DURANGO 4AE	32.00	ZMA	12				
	F FLEXSTAR 1.88	1.30	PMA	12				
	G>>EVERPREX 7.62E	1.00	PMA	12				
	H>>LIQUID AMS	2.50	PMV	12				
13A	CHECK	0.00	NA	0	0	0	0	18.4
14A	PANTHER PRO 4.	10.00	ZMA	9	99	99	95	61.3
	B>>CREDIT XTREME	32.00	ZMA	12				
	C>>XTENDIMAX 2.9	22.00	ZMA	12				
	D>>WARRANT 3L	1.50	QMA	12				
	E>>CLASS ACT RIDI	1.00	PMV	12				
	F>>INTACT	0.50	PMV	12				
15A	RNDUP POWERMAX	32.00	ZMA	12	96	99	92	63.2
	B>>XTENDIMAX 2.9	22.00	ZMA	12				
	C>>WARRANT 3L	1.50	QMA	12				
	D>>CLASS ACT RIDI	1.00	PMV	12				
	E>>INTACT	0.50	PMV	12				
16A	TAVIUM 3.39AE	3.53	PMA	12	99	99	94	63.3
	B>>RNDUP POWERMAX	26.00	ZMA	12				
	C>>CLASS ACT RIDI	1.00	PMV	12				
	D>>INTACT	0.50	PMV	12				
	LSD (0.05)				2.2	1.0	4.6	7.33
	STANDARD DEVIATION				1.1	0.5	2.3	3.59

>> = SUPPLEMENTAL CHEMICAL

* TIMING CODES

00 = --- / UNTREATED TIMING
09 = --- / PREEMERGENCE 05/12/2020(1)
12 = --- / POST 06/12/2020(2)

H#	CUSTOM#1	CUSTOM#2	EV. DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRT	SS	NOTE
001	GLXMA	CON %	06/12/2020	01	P	GLXMA	14	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	SETFA	CON %	06/12/2020	02	P	SETFA	13	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	CHEAL	CON %	06/12/2020	03	P	CHEAL	17	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	ABUTH	CON %	06/12/2020	04	P	ABUTH	15	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	IPOHE	CON %	06/12/2020	05	P	IPOHE	13	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	GLXMA	CON %	06/24/2020	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	SETFA	CON %	06/24/2020	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	CHEAL	CON %	06/24/2020	03	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	ABUTH	CON %	06/24/2020	04	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	IPOHE	CON %	06/24/2020	05	P	IPOHE		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	GLXMA	CON %	07/14/2020	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	SETFA	CON %	07/14/2020	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	CHEAL	CON %	07/14/2020	03	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	ABUTH	CON %	07/14/2020	04	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	IPOHE	CON %	07/14/2020	05	P	IPOHE		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	GLXMA	BU/A	10/14/2020	01	P	GLXMA		RAW	ALL	YLD	BU	---	1.00 A	NO	0001	0	N

* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)

01 = AG27X9

* STAGE CODE

13 = 3 LEAVES UNFOLDED

* STAGE CODE

13	=	3RD	TRUE	LEAVES/LEAF	PAIRS/WHORLS	UNFOLDED
14	=	TRIFOLIOLATE	LEAF	ON	THE 4TH NODE	UNFOLDED
15	=	5TH	TRUE	LEAVES/LEAF	PAIRS/WHORLS	UNFOLDED
17	=	7TH	TRUE	LEAVES/LEAF	PAIRS/WHORLS	UNFOLDED